

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
02-000033	NECORE	IFCSUM	DOC	2	1001	Add	951	TIF forms	International Customs transit document by which the sender declares goods for carriage by rail in accordance with the provisions of the 1952 International Convention to facilitate the crossing of frontiers for goods carried by rail (TIF Convention of UIC).		implemented
02-000031	NECORE	IFCSUM	DOC	2	1001	Add	952	TIR Carnet	International Customs document (International Transit by Road), issued by a guaranteeing association approved by the Customs authorities, under the cover of which goods are carried, in most cases under Customs seal, in road vehicles and/or containers in compliance with the requirements of the Customs TIR Convention of the International Transport of Goods under cover of TIR Carnets (UN/ECE).		implemented
02-000030	NECORE	IFCSUM	DOC	2	1001	Add	852	Sanitary certificate	Document/message issued by the competent authority in the exporting country evidencing that alimentary and animal products, including dead animals, are fit for human consumption, and giving details, when relevant, of controls undertaken.		implemented
02-000040	NECORE	ORDERS, ORDCHG, ORDRSP	IMD	49	7077	Add	A	Free-form long description	Long description of an item in free form.		implemented
02-000040	NECORE	ORDERS, ORDCHG, ORDRSP	IMD	49	7077	Add	F		EAN Description: Item related general free form text description, which is neither a short or long description of the item itself.		implemented
02-000007	NECORE	DESADV	LOC	43	3227	Add	28E	Country of birth (EAN Code)	Country where an animal was born.		implemented
02-000026	NECORE	IFCSUM	MEA	78	6313	Add	ABQ	Percentage of alcohol (by volume)	The percentage of alcohol contained in a liquid.		withdrawn
02-000019	NECORE	DESADV	LOC	43	3227	Add	31E	Country of mincing (EAN Code)	Country where meat has been cut into very small pieces using a meat grinder.		implemented
02-000017	NECORE	ORDERS	PCI	65	4233	Add	X28	Mark reference to source entity (EAN Code)	Packaging should be marked with the reference to source entity.		implemented
02-000016	NECORE	ORDERS	PCI	65	4233	Add	X27	Mark packaging date (EAN Code)	Packaging should be marked with the packaging date.		implemented
02-000015	NECORE	DESADV	LOC	10, 43	3227	Add	29E	Slaughterhouse (EAN Code)	deleted as example code		implemented
02-000014	NECORE	DESADV	LOC	10, 43	3227	Add	30E	Cutting plant (EAN Code)	A building where the meat of animals is cut into smaller pieces and/or minced.		implemented
02-000010	NECORE	DESADV	LOC	43	3227	Add	25E	Country of cutting (EAN Code)	Country where an animal's carcass has been cut into smaller pieces.		implemented
02-000009	NECORE	DESADV	LOC	10, 43	3227	Add	26E	Country of slaughter (EAN Code)	Country where an animal has been killed for food.		implemented
02-000008	NECORE	DESADV	LOC	43	3227	Add	27E	Country of fattening (GS1 Code)	Country where an animal has been fattened before killing for food.		implemented
02-000027	NECORE	IFCSUM	RFF	30	1153	Add	ACL	Principal reference number	A number that identifies the principal reference.		withdrawn
02-000029	NECORE	IFCSUM	GOR	32	9353	Add	3	Documents required	Partiment documents are required		implemented
02-000032	NECORE	IFCSUM	NAD	12	3035	Add	SH	Shipper (GS1 Code)	Party responsible for the shipment of goods.		implemented
02-000034	NECORE	IFSTA	RFF	9	1153	Add	ACL	Principal reference number	A number that identifies the principal reference.		withdrawn
02-000037	NECORE	INVRPT	STS	21	9013	Add	X49	Out of end sale date	Product was out of end sale date.		implemented
02-000038	NECORE	INVRPT	STS	21	9013	Add	X51	Quality control (EAN Code)	Quality control of the product		implemented
02-000039	NECORE	INVRPT	STS	21	9013	Add	X50	In wait of release (EAN Code)	Goods are on hold awaiting release.		implemented
02-000073	NECORE	PRICAT	PAC	115	7065	Add	RCB	Two sided cage on wheels with fixing strap (GS1 Code) 900 x 770 x 1513 cm (length x width x height)	A two sided cage mounted on wheels with fixing strap. Dimensions: 900 x 770 x 1513 cm (length x width x height).		implemented
02-000074	NECORE	PRICAT	PAC	115	7065	Add	RB1	A wheeled pallet with raised rim (EAN), 81 x 67 x 135 cm (length x width x height).	A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 67 x 135 cm (length x width x height).		implemented
02-000075	NECORE	PRICAT	PAC	115	7065	Add	RB2	A Wheeled pallet with raised rim (EAN Code), 81 x 72 x 135 cm (length x width x height).	A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 72 x 135 cm (length x width x height).		implemented
02-000076	NECORE	PRICAT	PAC	115	7065	Add	RB3	Wheeled pallet with raised rim, 81 x 60 x 16 cm (length x width x height), (EAN Code)	A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 60 x 16 cm (length x width x height).		implemented
02-000157	NECORE	All	All		3055	Add	X8	BR, EAN Brazil (GS1 Code)	Brazilian representative of the International Article Numbering association (EAN).		implemented
02-000169	SECHRE	INDES	DTM	22	2005	Add	36	Expiry date	Add a code to a restricted code list		implemented
02-000182	NECORE	PRICAT, PRODAT, ORDERS, DESADV	IMD	82254933	7081	Add	UQ6	Product without theft protection (EAN code)	The product is not fitted with a protection against theft.		implemented
02-000182	NECORE	PRICAT, PRODAT, ORDERS, DESADV	IMD	82254933	7081	Add	UQ7	Product with theft protection, active (EAN code)	The product is fitted with a protection against theft that has been activated.		implemented
02-000182	NECORE	PRICAT, PRODAT, ORDERS, DESADV	IMD	82254933	7081	Add	UQ8	Product with theft protection, inactive (EAN code)	The product is fitted with a protection against theft that has not been activated.		implemented
02-000163	SECHRE	SLSRPT	NAD	23	3035/3055	Add			Add codes to restricted code lists Update message definition and principles 3035 UD = Ultimate customer X47 = Cash register number (EAN Code) 3055 91 = Assigned by supplier or supplier's agent 92 = Assigned by buyer or buyer's agent		implemented
02-000033		IFCSUM	DOC	2	1001	Del	951	TIF forms		deleted as example code	implemented
02-000031		IFCSUM	DOC	2	1001	Del	952	TIR Carnet		deleted as example code	implemented
02-000030		IFCSUM	DOC	2	1001	Del	852	Sanitary certificate		deleted as example code	implemented
02-000007		DESADV	LOC	43	3227	Del	28E	Country of birth (EAN Code)		deleted as example code	implemented
02-000026		IFCSUM	MEA	78	6313	Del	ABQ	Percentage of alcohol (by volume)		deleted as example code	withdrawn
02-000019		DESADV	LOC	43	3227	Del	31E	Country of mincing (EAN Code)		deleted as example code	implemented
02-000017		ORDERS	PCI	65	4233	Del	X28	Mark reference to source entity (EAN Code)		deleted as example code	implemented
02-000016		ORDERS	PCI	65	4233	Del	X27	Mark packaging date (EAN Code)		deleted as example code	implemented
02-000015		DESADV	LOC	10, 43	3227	Del	29E	Slaughterhouse (EAN Code)		deleted as example code	implemented
02-000014		DESADV	LOC	10, 43	3227	Del	30E	Cutting plant (EAN Code)		deleted as example code	implemented
02-000010		DESADV	LOC	43	3227	Del	25E	Country of cutting (EAN Code)		deleted as example code	implemented
02-000009		DESADV	LOC	10, 43	3227	Del	26E	Country of slaughter (EAN Code)		deleted as example code	implemented
02-000008		DESADV	LOC	43	3227	Del	27E	Country of fattening (GS1 Code)		deleted as example code	implemented
02-000027		IFCSUM	RFF	30	1153	Del	ACL	Principal reference number		deleted as example code	withdrawn
02-000029		IFCSUM	GOR	32	9353	Del	3	Documents required		deleted as example code	withdrawn
02-000034		IFSTA	RFF	9	1153	Del	ACL	Principal reference number		deleted as example code	withdrawn
02-000073		PRICAT	PAC	115	7065	Del	RCB	Two sided cage on wheels with fixing strap (GS1 Code) 900 x 770 x 1513 cm (length x width x height)		deleted as example code	implemented
02-000074		PRICAT	PAC	115	7065	Del	RB1	A wheeled pallet with raised rim (EAN), 81 x 67 x 135 cm (length x width x height).		deleted as example code	implemented
02-000075		PRICAT	PAC	115	7065	Del	RB2	A Wheeled pallet with raised rim (EAN Code), 81 x 72 x 135 cm (length x width x height).		deleted as example code	implemented
02-000076		PRICAT	PAC	115	7065	Del	RB3	Wheeled pallet with raised rim, 81 x 60 x 16 cm (length x width x height), (EAN Code)		deleted as example code	implemented
02-000182		PRICAT, PRODAT, ORDERS, DESADV	IMD	82254933	7081	Del	UQ6	Product without theft protection (EAN code)		deleted as example code	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
02-000182		PRICAT, PRODAT, ORDERS, DESADV	IMD	82254933	7081	Del	UQ7	Product with theft protection, active (EAN code)		deleted as example code	implemented
02-000182		PRICAT, PRODAT, ORDERS, DESADV	IMD	82254933	7081	Del	UQ8	Product with theft protection, inactive (EAN code)		deleted as example code	implemented
03-000018	NECORE	PRODAT	DOC	22	1001	Add	YB6	Product marketing document, concise (EAN Code)	Marketing document providing a concise functional description of a product or goods/services.; Note: This code may only be used in DE 1001 of the DOC segment.		implemented
03-000018	NECORE	PRODAT	DOC	22	1001	Add	YB5	Product marketing document, detailed (EAN Code)	Marketing document providing a detailed functional description of a product or goods/services.; This code may only be used in DE 1001 of the DOC segment.		implemented
03-000018	NECORE	PRODAT	DOC	22	1001	Add	YB4	Media campaign document (EAN Code)	Document providing the details of a media campaign; Note: This code may only be used in DE 1001 of the DOC segment.		implemented
03-000029	NECORE	PARTIN	NAD	12	3035	Add	GQ	Slaughterer	Party or person who has undertaken or will undertake a slaughter.		implemented
03-000044	NECORE	INVOIC	RFF	11,6619	1153	Add	AQQ	Activite Principale Exercee (APE) identifier	The French industry code for the main activity of a company.		implemented
02-000037	NECORE	INVRPT	STS	21	9013	Add	X49	Expiration of sales period (EAN Code)	Goods' sales period has expired.		implemented
03-000038	NECORE	INVRPT	STS	21	9013	Add	X51	Quality control held (EAN Code)	Goods held from distribution waiting for the outcome of a quality control assessment.		implemented
03-000039	NECORE	INVRPT	STS	21	9013	Add	X50	Awaiting release (EAN Code)	Goods are on hold awaiting release.		implemented
02-000049	NECORE	PRICAT	LIN	80	1229	Add	2E	Prior addition (EAN code)	A line item, which has already been added with a certain start validity date is added again with a validity date prior to that of the last addition in the referenced message or existing database.		implemented
02-000049	NECORE	PRICAT	LIN	80	1229	Add	74	Reopened	Opened again. EAN description A line item that was marked for deletion is reactivated in the referenced message or existing database.		implemented
03-000054	NECORE	DESADV	PIA	32	7143	Add	X2	Ear-tag number (EAN Code)	Unique number given by a national authority to identify an animal individually.		implemented
03-000053	NECORE	DESADV	PIA	32	7143	Add	X1	Slaughter number (EAN Code)	Unique number given by a slaughterhouse to an animal or a group of like breeds of animals.		implemented
03-000029d	NECORE	PARTIN	RFF	19	1153	Add	YC4	Cutting plant approval number (EAN Code)	Veterinary licence number allocated by a national authority to a cutting plant.		implemented
03-000029c	NECORE	PARTIN	RFF	19	1153	Add	YC5	Slaughterhouse approval number (EAN Code)	Veterinary licence number allocated by a national authority to a slaughterhouse.		implemented
03-000029b	NECORE	PARTIN	NAD	12	3035	Add	X49	Meat cutter (EAN Code)	Person whose job is to cut up and/or mince meat.		implemented
02-000013	NECORE	DESADV	MEA	34	6313	Add	X13	Acidity of meat (EAN Code)	The meat's acid quality or condition expressed as a pH value.		implemented
02-000012	NECORE	DESADV	DTM	38	2005	Add	656	Age	Length of time that a person or thing has existed. EAN Description:Length of time that a person or animal has lived or a thing has existed.		implemented
03-000032	SECHRE	DESADV	LOC	43		Change			The CR consists of 10 CRs Segment related to MEA DE 6411 Composite C174 and request additions to an open code list UNC Rec 20		implemented
03-000023	NECORE	INVRPT	STS	21	9013	Add	X60	Incident attributed to despatch party (EAN Code)	Incident has been attributed to the despatch party.		implemented
03-000033	SECHRE	INVRPT	NAD	21a		Change					implemented
03-000091	NECORE	All	MEA		6411	Add	E37	Pixel	A unit of count defining the number of pixels (pixel: picture element)		implemented
03-000038	NECORE	All	MEA		6411	Add			The CR consists of 10 CRs Segment related to MEA DE 6411 Composite C174 and request additions to an open code list UNC Rec 20		implemented
03-000038	NECORE	All	MEA		6411	Add	E34	Gigabyte	A unit of information equal to 10 E9 bytes		implemented
03-000038	NECORE	All	MEA		6411	Add	MTS	Metre per second	A unit of speed expressed in metres per second.. (EAN Definition)		implemented
03-000038	NECORE	All	MEA		6411	Add	HMT	HECTOMETRE	A unit of linear measure equal to 10 E2 metres.		implemented
03-000038	NECORE	All	MEA		6411	Add	LD	Litre per day	A unit of measure defining the number of litres per day.		implemented
03-000038	NECORE	All	MEA		6411	Add	MOH	Cubic metre per hour	A unit of measure defining the number of cubic metres per hour		implemented
03-000038	NECORE	All	MEA		6411	Add	RJH	Decanewton (GS1 Code)	A unit of force equal to 10 Newton.		implemented
03-000038	NECORE	All	MEA		6411	Add	E39	Dots per inch	A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of an image. EAN Description: synonym: pixels per inch		implemented
03-000038	NECORE	All	MEA		6411	Add	B13	Joule per square metre	EAN definition: A unit of measure of heat energy expressed in joule per square metre		implemented
03-000038	NECORE	All	MEA		6411	Add	D19	Square metre kelvin per watt	EAN definition: Unit of measure of thermal insulance expressed in square metre kelvin per watt.		implemented
03-000038	NECORE	All	MEA		6411	Add	D55	watt per square metre kelvin	EAN definition: Unit of measure of thermal conductance expressed in watt per square metre kelvin.		implemented
03-000148	NECORE	All	MEA		6411	Add	A99	bit	A unit of information equal to one binary digit.		implemented
03-000101	SECHRE	PRICAT	EPI	73	1056	Change			Change the status of the DE 1056 from N (not used) to O (optional)		implemented
03-000103a	NECORE	All	MEA		6313	Add	10X	Colour depth (EAN Code)	The number of distinct colours represented in an image or in a display.		implemented
03-000103a	NECORE	All	MEA		6313	Add	12X	Colour depth, maximum (EAN Code)	The maximum number of distinct colours that can be represented in an image or in a display.		implemented
03-000103b	NECORE	All	MEA		6313	Add	11X	Resolution (EAN Code)	The number of dots or pixels making up an image.		implemented
03-000103b	NECORE	All	MEA		6313	Add	13X	Resolution, maximum (EAN Code)	The maximum number of dots or pixels that can make up an image.		implemented
03-000099a	NECORE	PRICAT	FTX		4451	Add	S2C	Consumer marketing information short description (EAN Code)	Short description of a product and/or service, for marketing purposes to consumers.		implemented
03-000099a	NECORE	PRICAT	FTX		4451	Add	L2C	B2C marketing information, long description (EAN Code)	Consumer marketing information, long description		implemented
03-000099a	NECORE	PRICAT	FTX		4451	Add	L2B	B2B marketing information, long description (EAN Code)	Trading partner marketing information		implemented
03-000091a	NECORE	All	MEA		6411	Add	E38	Megapixel	A unit of count equal to 10 E6 (1000000) pixels (picture elements).		implemented
04-000029	NECORE	All			3055	Add	X9	FI, EAN Finland (EAN Code)	Finnish representative of the International Article Numbering Association (EAN).		implemented
03-000018-2	NECORE	PRODAT	DOC		1001	Add	YB4	Media campaign document (GS1 Code)	Document providing the details of a media campaign		implemented
03-000018-3	NECORE	PRODAT	DOC		1001	Add	YB6	Product Marketing document, concise (GS1 Code)	Marketing document providing a concise functional description of a product or goods/services.		implemented
03-000018	NECORE	PRODAT	DOC		1001	Add	YB5	Product Marketing document, detailed (GS1 Code)	Marketing document providing a detailed functional description of a product or goods/services.		implemented
03-000093	NECORE	PRICAT, ORDERS, ORDRSP, INVOIC	PRI		5125	Add	AAH	Subject to escalation and price adjustment	Subject to increase or development by successive stages and price adjustment.	PRI in header or PRI in line item? The Codelist in both data elements 5125 is not restricted! What is to do? as example codes in all PRI of PRICAT, ORDERS, ORDRSP, INVOIC Notice hinzufügen :use this codes when dealing with csa customer specific articles.	implemented
03-000093	NECORE	PRICAT, ORDERS, ORDRSP, INVOIC	PRI		5125	Add	AAQ	Firm price	Price which will remain unchanged for a given time period.	PRI in header or PRI in line item? The Codelist in both data elements 5125 is not restricted! What is to do? as example codes in all PRI of PRICAT, ORDERS, ORDRSP, INVOIC Notice hinzufügen :use this codes when dealing with csa customer specific articles.	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
03-000093	NECORE	PRICAT, ORDERS, ORDRSP, INVOIC	PRI		5125	Add	ABL	Base price	The base price of a product or service.	PRI in header or PRI in line item? The Codelist in both data elements 5125 is not restrictet! What is to do? as example codes in all PRI of PRICAT, ORDERS, ORDRSP, INVOIC Notice hinzufügen :use this codes when dealing with csa customer specific articles.	implemented
03-000093	NECORE	PRICAT, ORDERS, ORDRSP, INVOIC	PRI		5125	Add	ABM	Base price difference	The difference in price against a base price.	PRI in header or PRI in line item? The Codelist in both data elements 5125 is not restrictet! What is to do? as example codes in all PRI of PRICAT, ORDERS, ORDRSP, INVOIC Notice hinzufügen :use this codes when dealing with csa customer specific articles.	implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	BEX	GTIN allocation group for special purposes (EAN code)	A grouping in order to allocate a GTIN to certain a configuration for special purposes (e.g. configuration software) within a Customer Specific Articles configuration.		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	DEF	Definition Group (EAN code)	A group of objects (1. option values, 2. parameters and 3. pre-defined options) needed in a Customer Specific Articles (CSA) configuration. In this group the CSA objects are defined for those objects which are used in the base article configuration group.		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	MUL	Metadata linked to multi-media objects group (EAN code)	A group containing metadata linked to multi-media objects, i.e. a URL to a multi media object, name and description of the multimedia object		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	PAX	Price allocation group (EAN code)	A grouping in order to allocate price(s) to certain configurations within a Customer Specific Articles configuration.		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	PXC	Price execution rule group (EAN code)	A grouping of a number of execution rules related to a preceding price allocation in a Customer Specific Articles configuration.		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y1E	Internal dimensions (EAN code)	Internal dimension of an article, e.g. a piece of furniture		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y2E	Maximum dimensions using a functionality (EAN code)	Maximum dimension of an article using a functionality (e.g. extendable sofa)		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y3E	Minimum dimensions using a functionality (EAN code)	Minimum dimension of an article using a functionality (e.g. folding chair)		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y4E	Mattress dimensions (EAN code)	Dimension of a mattress, i.e. not the total dimension of the bed frame.		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y5E	Seat dimensions (EAN code)	Seat dimension of a chair etc., not total dimension.		implemented
03-000097	NECORE	PRICAT	IMD		7009	Add	PRQ	Programme (GS1 Code)	A programme within a Customer Specific Article which does not exist on its own.		implemented
03-000098	NECORE	PRICAT	IMD		7009	Add	NAR	Next Article (GS1 Code)	An indication that what follows is a set of linked articles, a certain number of these linked articles should be chosen.		implemented
03-000100	SECHRE	PRICAT	RFF		4000	Change			Change the status of the DE 4000 from N (not used) to O (optional) in order to provide catalogue update numbers.	Why to mention DE1156? Looking to http://www.gefeg.com/service/eancom2003/ean2003s3/experts/part2/pricat/055.htm , either DE1156 and DE4000 are set to N. The CR is to open the use of DE4000 only.	implemented
03-000102	MSCHRE	PRICAT CONDRA	COM			Allow use			Allow use of seg COM where seg EFI appears as EDIFACT does.	Message CONDRA has to an EFI segment group, but this group has not a COM segment! --> Forget CONDRA.	implemented
04-000025	NECORE	SLSRPT	QTY		6063	Add	217	Out of inventory quantity	Quantity of inventory which was requested but was not available.	Code 217 is not an GS1 code he is an EDIFACT Code. Use the EDIFACT code 217? Yes	implemented
04-000054a	NECORE	INVRPT	QTY		6063	Add	X25	Advised but not arrived (GS1 Code)	Goods are advised by the consignor or supplier, but have not yet arrived at the destination.	Added as example code in the guide? --> No	implemented
04-000054b	NECORE	SLSRPT	QTY		6063	Add	X26	Received but not available (GS1 Code)	Goods have been received (in the arrival area) but are not yet available.	Added as example code in the guide? --> No	implemented
04-000054c	NECORE	INVRPT	QTY		6063	Add	X27	Goods blocked for transshipment process (GS1 Code)	Goods scheduled for a transshipment process. Goods are physically present, but cannot be ordered.	Added as example code in the guide? --> No	implemented
04-000054d	NECORE	INVRPT	QTY		6063	Add	X28	Goods blocked for cross docking process (GS1 Code)	Goods scheduled for a cross docking process. Goods are physically present, but cannot be ordered.	Added as example code in the guide? --> No	implemented
04-000060a	NECORE	All	ALI		4183	Add	X45	Product gluten-free (GS1 Code)	An indication that a product does not contain any gluten.	Added as example code in all guides with ALI? --> no	implemented
04-000060b	NECORE	All	ALI		4183	Add	X46	Product contains gluten (GS1 Code)	An indication that a product contains gluten.	Added as example code in all guides with ALI? --> no	implemented
04-000060c	NECORE	All	ALI		4183	Add	X47	Product lactose-free (GS1 Code)	An indication that a product does not contain any lactose.	Added as example code in all guides with ALI? --> no	implemented
04-000060d	NECORE	All	ALI		4183	Add	X48	Product contains lactose (GS1 Code)	An indication that a product contains lactose.	Added as example code in all guides with ALI? --> no	implemented
04-000060e	NECORE	All	ALI		4183	Add	X49	Genetically modified food law, CH, conformity (GS1 Code)	An indication that a product complies with the Swiss law on genetically modified food.	Added as example code in all guides with ALI? --> no	implemented
04-000060f	NECORE	All	ALI		4183	Add	X50	Genetically modified food law, CH, non-conformity (GS1 Code)	An indication that a product does not comply with the Swiss law on genetically modified food.	Added as example code in all guides with ALI? --> no	implemented
04-000060g	NECORE	All	ALI		4183	Add	X51	General food law, CH, conformity (GS1 Code)	An indication that a product complies with the Swiss general food law.	Added as example code in all guides with ALI? --> no	implemented
04-000060h	NECORE	All	ALI		4183	Add	X52	General food law, CH, non-conformity (GS1 Code)	An indication that a product does not comply with the Swiss general food law.	Added as example code in all guides with ALI? --> no	implemented
04-000073	NECORE	All	MEA		6313	Add	X14	Acoustic absorption coefficient (GS1 Code)	The amount of sound energy a surface absorbs and reflects, measured at different frequencies.	Added as example code in all guides with MEA? --> no	implemented
04-000077	NECORE	All	MEA		6313	Add	RJ	Rockwell C	Hardness in the Rockwell C scale.	Added as example code in all guides with MEA? --> no	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
04-000109	MSCHRE	IFCSUM	TCC CUX			Add			Add segment group 7, respectively TCC and CUX Add SG7 - TCC - CUX which exists in IFCSUM D.01B to IFCSUM EANCOM 2002. TCC C200 R 8023 R Freight and other charges description identifier UN/ECE Recommendation 23 code list 1131 N 3055 R * 6 = UN/ECE 8022 N 4237 N 7140 N CUX C504 R 6347 M * 2 = Reference currency 6345 R ISO 4217 three alpha 6343 R * 4 = Invoicing currency 10 = Pricing currency 6348 N C504 D The second occurrence of C504 is only used if a target currency is being specified. 6347 M * 2 = Reference currency 6345 R ISO 4217 three alpha 6343 R * 4 = Invoicing currency 10 = Pricing currency 6348 O 5402 D The rate of exchange which applies to the currencies. The rate of exchange is only used if a target currency has been identified in the second occurrence of C504	CR04-000109_new.doc	implemented
04-000111	Static documents	IFCSUM				Add			General Description Add: "The IFCSUM message can also be used as an arrival notice for multiple consignments."	Where is this text to stand? --> In static documents Part II 2.4.1 --> change it when static documents will be changed --> Change the static document.	implemented
04-000160	NECORE	All	IMD		7009	Add	NRC	Non-returnable container (GS1 Code)	The current product is not traditionally a traded product and does not need to be returned to the sender.	Added as example code in all guides with IMD? --> no	implemented
04-000188	NECORE	All	DGS		8339	Add	0	No packaging danger level assigned (GS1 Code)	No packaging danger level assigned. None available to comply with the IATA/IDMG/ADR/RID regulations.	Added as example code in all guides with DGS? --> no	implemented
04-000224	NECORE	All	COM		3155	Add	AS1	AS1 (GS1 Code)	Requests that the file shall be returned via AS1.		implemented
04-000224	NECORE	All	COM		3155	Add	AS2	AS2 (GS1 Code)	Requests that the file shall be returned via AS2.		implemented
04-000224	NECORE	All	COM		3155	Add	AS3	AS3 (GS1 Code)	Requests that the file shall be returned via AS3.		implemented
04-000224	NECORE	All	COM		3155	Add	EX1	Exite mail (GS1 Code)	Requests that the file shall be returned via Exite.		implemented
04-000224	NECORE	All	COM		3155	Add	FTP	ftp (GS1 Code)	Requests that the file shall be returned via ftp.		implemented
04-000224	NECORE	All	COM		3155	Add	X4X	X.400 embedded mail text (GS1 Code)	Requests that the file shall be returned as X.400 embedded mail text.		implemented
04-000231	NECORE	PRICAT	PAC		7065	Add	GB	Bottle, gas		In PRICAT we don't have restricted code lists in PAC DE 7065. What is to do?	implemented
05-000012-2	NECORE	PRICAT	IMD		7081	Add	SBN	Primary differentiating factor that a brand owner wants to communicate (GS1 Code)	Second level of brand. Can be a trademark. It is the primary differentiating factor that a brand owner wants to communicate to the consumer or buyer. E.g. Yummy-Cola Classic. In this example Yummy-Cola is the brand and Classic is the subBrand.	Code SBN added as example code to the open code list. --> no as example seg 84	implemented
05-000012-3	NECORE	PRICAT	IMD		7081	Add	FNМ	Functional Name (GS1 Code)	Describes use of the product or service by the consumer. Should help clarify the product classification associated with the GTIN	as example seg 84	implemented
05-000012	NECORE	PRICAT	IMD		7081	Add	44	Further identifying characteristic	Description of further identifying characteristic of a product which enables the product to be distinguished from any similar products.	In PRICAT we don't have restricted code lists in PAC DE 7065. What is to do?	implemented
05-000031	MSCHRE	ORDRSP				Add	MEA		Add seg MEA under PAC	Structure, Descriptions, Notes, Codes, Examples, Status are open in the original cr document. Please ask GS1 Australia! DE 6311 : CT DE 6313 : NPP DE 6411 : NAR DE 6314 : open The remaining seg shall NOT USED.	implemented
05-000032	NECORE	PRICAT	TAX		5153	Add	OIL	Oil tax	A tax that is levied specifically on products containing Oil.	added as example code? --> no	implemented
05-000092	NECORE	ORDERS	DTM		2005	Add	235	Collection date/time, latest	In relation with the arrangements agreed between buyer and seller or between sender and main transport it may be necessary to specify the latest collection date/time.	added as example code? --> no	implemented
05-000093	NECORE	ORDERS	CTA		3139	Add	WL	After Business Hours Contact	Contact person or organisation that can be contacted after the normal working hours. This will allow the after business hours contact telephone number to be distinguished from a default/normal hours telephone number. Clearly defined communication information will make communication process effective/efficient for all users. The change will allow the contact number to be distinguished so when communication is required to be made, the appropriate contact number provided is used correctly.	added as example code in two places	implemented
05-000094	NECORE	ORDRSP	DTM	3	2005	Add	234	Collection date/time, earliest	The transport order may be issued before the goods are ready for picking up. This date/time indicates from when on the carrier can have access to the consignment.		implemented
05-000095	NECORE	DESADV	GIN		7405	Add	AW	Serial shipping container code	A single unique serial number which identifies shipping containers or shipping packages.		implemented
05-000095	NECORE	DESADV	GIN		7405	Del	BJ	Serial shipping container code	Mark for deletion		implemented
05-000114	NECORE	DESADV	CPS		7075	Add	4	No packaging hierarchy	There is no specific level of packaging: packaging is inner and outer level as well.	added as example code in two places --> no	implemented
05-000115	NECORE	ORDERS	DTM	53	2005	Add	15	Promotion start date/time	Date/time when promotion activities begin.	Code 15 exists already in the restricted code list. --> SE 53	implemented
05-000116	MSCHRE	PRICAT	DOC			Add			Add DOC under LIN as in PRICAT D.01B	Structure, Descriptions, Notes, Codes, Examples, Status are open. like other doc-segments	withdrawn
05-000117	NECORE	PRICAT	DTM		2005	Add	X19	Material Safety Data Sheet issue date (GS1 Code)	A date when a Material Safety Data Sheet has been or will be issued. The Australian Automotive Aftermarket Industry requires users to specify the issue date of a Material Safety Data Sheet (MSDS) for items. This will allow the MSDS issue date to be transferred electronically via the PRICAT and to be part of product master data of a LINE item and also satisfy Australian Automotive Aftermarket requirements.	added as example code? --> no	withdrawn
05-000124	MSCHRE	PRICAT				Add			Add a new LOC seg in SG41	Add SG 49 or SG 50???	not implementable
05-000125a	NECORE	DESADV	LOC		3227	Add	40E	Packing Plant	Place where goods are packaged. In the meat sector, some additional information is required for traceability purposes: cutting party, slaughterhouse, ... On retailer in Spain is required an additional attribute with commitment to implement: Packing Plant Packing Plant: Place where food is packaged. Send additional traceability information within the Supply Chain specially when the Cutting Party is not the Packing Party.	Which LOC segment is meant? LOC in SG2? --> SE 15 an 43	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
05-000125b	NECORE	DESADV	RFF		1153	add	YC6	Packing Plant Approval Number	Approval Number of the Place where goods are packaged. In the meat sector, some additional information is required for traceability purposes: cutting party, slaughterhouse, ... On retailer in Spain is requiring an additional attribute with commitment to implement Packing Plant Packing Plant: Place where food is packaged. Send additional traceability information within the Supply Chain specially when the Cutting Party is not the Packing Party.	Which RFF segment is meant? RFF in SG3? --> SE 11 and 41	implemented
05-000144	NECORE	PROINQ	LIN		1229	Allow use	1	Added	Comments added .Status O_RS * Codes 1-4 and text from CR added.		implemented
05-000144	NECORE	PROINQ	LIN		1229	Allow use	2	Deleted	Comments added .Status O_RS * Codes 1-4 and text from CR added.		implemented
05-000144	NECORE	PROINQ	LIN		1229	Allow use	3	Changed	Comments added .Status O_RS * Codes 1-4 and text from CR added.		implemented
05-000144	NECORE	PROINQ	LIN		1229	Allow use	4	No action	Comments added .Status O_RS * Codes 1-4 and text from CR added.		implemented
05-000146	NECORE	PROINQ	DTM		2379	Add	811	Half month	To indicate a quantity of half months.	added as example code? --> no	implemented
05-000147	NECORE	PROINQ	DTM		2379	Add	130	MMWW-MMWW (GS1 code)	Week's number within a specified month or range of months. In order to request master data stored in the pool, PROINQ messages are to be used, in which the type of selection request, some execution parameters, and the selection criteria are to be specified. For permanent or standing selections (subscriptions of mater data) of the execution frequency (-interval) monthly or yearly (annually) the number of the week in which the selection shall be executed at the pool is to be indicated. Related to SG 3, DTM DE 2379 there is an EDIFACT code value 108 = WW that allows to indicate the week's number within a specific year. But a code value is missing that allows to indicate the week's number within a month.		implemented
05-000148	NECORE	PRICAT	RFF		1153	Add	CH	Customer catalogue number	Number identifying a catalogue for customer's usage.		withdrawn
05-000149	NECORE	PRICAT	DTM		2005	Add	541	First published date	Date when material was first published.	added as example code? --> no	implemented
05-000163	NECORE	ORDCHG	BGM		4343	Add	AB	Message acknowledgement	Indicates that an acknowledgement relating to receipt of message is required.		implemented
05-000170-2	NECORE	DESADV	GIN		7405	Add	RAG	GS1 Global Returnable Asset Identifier (GS1 Code)	A unique number, consisting of a fixed 13-digits part and an optional Serial Number of up to 16 digits. The fixed part allows for the unique identification of a particular kind of Returnable Asset, the optional part is assigned to distinguish individual assets within a given Returnable Asset type.	Text to codes X1 and X2 is open!!! Meaning unclearly!	implemented
05-000170	NECORE	DESADV	PCI		4233	Add	41G	Marked with GS1 Global Returnable Asset Identifier (GS1 Code)	Indication that the GS1 Global Returnable Asset Identifier has been marked on the package.	Code 41G added as example code in two places. Text to codes X1 and X2 is open!!! Meaning unclearly!	implemented
05-000171	SECHRE	ORDERS	BGM		1060				Change status from NOT USED to OPTIONAL		implemented
05-000172	SECHRE	ORDRSP	RFF		1060				Change status from NOT USED to OPTIONAL	Status of the data elements 1156 and 4000 remain Not Used	implemented
05-000177					3055	Change	9	GS1	GS1 (formerly EAN International), an organisation of GS1 Member Organisations, which manages the GS1 System.		implemented
05-000178					3055	Change	65	GS1 France	Organisation responsible for GS1 System in France.		implemented
05-000179					3055	Change	68	GS1 Italy	Organisation responsible for GS1 System in Italy.		implemented
05-000180					3055	Change	113	GS1 US	Organisation responsible for GS1 System in the USA.		implemented
05-000181					3055	Change	136	GS1 UK	Organisation responsible for GS1 System in the UK.		implemented
05-000182					3055	Change	200	GS1 Netherlands	Organisation responsible for GS1 System in the Netherlands.		implemented
05-000183					3055	Change	245	GS1 Denmark	Organisation responsible for GS1 System in Denmark.		implemented
05-000184					3055	Change	246	GS1 Germany	Organisation responsible for GS1 System in Germany.		implemented
05-000185					3055	Change	281	GS1 Belgium & Luxembourg	Organisation responsible for GS1 System in Belgium & Luxembourg.		implemented
05-000186					3055	Change	294	GS1 Austria	Organisation responsible for GS1 System in Austria.	Code 294 does not exist! EAN Austria is code X4. Change Code X4 --> Code 294? --> use X4	implemented
05-000187					3055	add	298	GS1 Spain	Organisation responsible for GS1 System in Spain.	Code 298 does not exist! EAN Spain is code X7. Change Code X7 --> Code 298? --> use X7	implemented
05-000188					3055	Add	311	GS1 Finland	Organisation responsible for GS1 system in Finland	Code 298 does not exist! EAN Spain is code X7. Change Code X7 --> Code 298? --> use X7	not implemented
05-000193					0007	Change	14	GS1	Partner identification code assigned by GS1, an international organization of GS1 Member Organizations that manages the GS1 System.		implemented
05-000194					0513	Change	2	GS1	GS1, an international organization of GS1 Member Organizations that manages the GS1 System.		implemented
05-000196					3055	add	312	GS1 Brazil	Organisation responsible for GS1 system in Brazil	Code 312 does not exist! EAN Brazil is code X8. Change Code X8 --> Code 312? --> use X8	not implemented
archive		All							"(EAN Code)" shall be replaced with "(GS1 Code)" in all code names		implemented
archive		All							"EAN" shall be replaced with "GS1" in all static documents. Use new GS1 logos.	Taken place only with completion of a new release	implemented
billing									CR\Urgent 2 CR's in error.htm RE Meeting minutes1.htm RE Meeting minutes2.htm		implemented
billing									Generate EANCOM HTML Documentation		implemented
billing									Generate EANCOM HTML Documentation		implemented
billing									Word-Document as table with all change requests since EANCOM 2002 is to be sent to Jean-Luc Champion.		implemented
05-000145	NECORE	PROINQ	BGM		1001	Add	76C	Standing inquiry on complete product information (GS1 code)	A product inquiry which stands until it is cancelled. It requests not only the updates since last time, but always the complete product information of a data supplier. This means that within the standing request every time a complete download of the respective data is automatically sent to the dataquirer.		implemented
05-000150	NECORE	PRICAT	HAN	SG 36	4079	Add	MF	Multiple facings (GS1 code)	The item has multiple facings (views) for presentation in the shelf.	Added as example code! --> ok	implemented
05-000151	NECORE	PRICAT	HAN	SG 36	4079	Add	NES	Nestable (GS1 Code)	???		implemented
05-000152	NECORE	PRICAT	IMD	SG 36	7009	Add	NCU	Not a consumer unit (GS1 Code)	The current base item or packaging item is not a consumer unit, i.e. is not a pre-packaging that is intended and labelled or marked for consumers according to legal requirements.	Added as example code! --> ok	implemented
05-000153	NECORE	PRICAT	IMD	SG 36	7009	Add	NDU	Not a despatch unit (GS1 Code)	The current base item or packaging item is not a regular logistical despatch unit, i.e. it is as a rule only delivered as many within a further repackaging, and not as an individual logistics item.	Added as example code! --> ok	implemented
05-000154	NECORE	PRICAT			7009	Add	NIN	Not an invoicing unit (GS1 Code)	The current base item or packaging item is not an invoicing unit of the data supplier, i.e. cannot be invoiced individually but only as one of many in a repackaging or transport packaging item.	Added as example code! --> ok	implemented
05-000155	NECORE	PRICAT			7009	Add	RE	Retail product (GS1 Code)	The current item is meant for retail sale only, and not for sale to hotels, restaurants and catering.	Added as example code! --> ok	implemented
05-000155	NECORE	PRICAT			7009	Add	NRE	Not a retail product (GS1 Code)	The current item is not meant for retail sale, but only for sale to hotels, restaurants and catering.	Added as example code! --> ok	implemented
05-000156	NECORE	PRICAT	IMD		7009	Add	NOS	Yes, NOS item (GS1 Code)	The current item is a NOS (Never out of stock) article, that is continuously reordered and replenished.	Added as example code! --> ok	implemented
05-000156	NECORE	PRICAT	IMD		7009	Add	NOT	Not, not a NOS item (GS1 Code)	The current item is not a NOS (Never out of stock) article, therefore is not continuously reordered and replenished.	Added as example code! --> ok	implemented
05-000157	NECORE	PRICAT	IMD		7009	Add	NVQ	Not a variable quantity product (GS1 Code)	The current item is a variable weight trade item, for which the weight and the quantity is determined only by the buyer.	Added as example code! --> ok	implemented
05-000158	NECORE				7233	Add	NAB	Not labeled acc. to EAN.UCC (GS1 Code)	Specifications for clothes and fashion accessories		implemented
05-000159-1	NECORE				7233	Add	RL1	Peg hole round 1 (GS1 code)	The item's packaging has a round peg hole. (European norm DIN EN 13010:2003 (substitute for DIN 55512-1:1984-12))		implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
05-000159-2	NECORE				7233	Add	SL1	Peg hole slot hole 1 (GS1 code)	The item's packaging has a slot peg hole of type 1. (European norm DIN EN 13010:2003 (substitute for DIN 55512-1:1984-12))		implemented
05-000159-3	NECORE				7233	Add	SL3	Peg hole slot hole 3 (GS1 code)	The item's packaging has a slot peg hole of type 3. (European norm DIN EN 13010:2003 (substitute for DIN 55512-1:1984-12))		implemented
05-000160	SECHRE	PRICAT	MOA	SG38		Add			Enable DE 6345 and DE 6343 for the currency in the MOA of SG 38		implemented
05-000161	NECORE	DESADV	CPS	SG10	7075	Add	S	Shipment Level	Open the use of an existing code Code Description: The packaging level described is the shipment level.	Added as example code! --> ok	implemented
05-000203	NECORE	DESADV	MOA	6	5025	Add	369	Goods and services tax	Amount charged as tax on goods and services.		implemented
05-000220	NECORE	DESADV	PCI	SG13	4233	Add	42G	Marked GS1 Global Individual Asset Identifier (GS1 Code)	Indication that the GS1 Global Individual Asset Identifier has been marked on the package.	Added as example code! --> ok	implemented
05-000220	NECORE	DESADV	GIN	SG15	7405	Add	IAG	GS1 Global Individual Asset Identifier (GS1 Code)	Unique number, consisting of the GS1 Company Prefix and an Individual Asset Reference		implemented
05-000290	NECORE	DELFOR	NAD	SG7	3035	Add	BY	Buyer	Add the code BY to the restricted Code list		implemented
05-000291	NECORE	DELFOR	SCC	SG17	4017	Add	XX1	Promotion (GS1 Code)	All related schedule information refer to a promotion.	Added as example code, the code list is not restricted! --> ok	implemented
05-000291	NECORE	DELFOR	SCC	SG17	4017	Add	XX2	Special demand (GS1 Code)	All related schedule information refer to a special demand.	Added as example code, the code list is not restricted! --> ok	implemented
05-000292	NECORE	DELFOR	QTY	SG18	6063	Add	66	Committed quantity	Add the code value 66 to the restricted code list		implemented
05-000293	NECORE	DELFOR	DTM	SG18	2005	Add	157	Validity start date	Add code 157 to the restricted code list		implemented
05-000293	NECORE	DELFOR	DTM	SG18	2005	Add	194	Start date/time	Add code 194 to the restricted code list		implemented
05-000293	NECORE	DELFOR	DTM	SG18	2005	Add	206	End date/time	Add code 206 to the restricted code list		implemented
05-000293	NECORE	DELFOR	DTM	SG18	2005	Add	362	End availability date	Add code 362 to the restricted code list		implemented
05-000311	NECORE	ORDERS	DTM		2005	Add	76	Delivery date/time, scheduled for	the date/time for which delivery is scheduled. Add code value 76 to the restricted codes list		implemented
05-000314	NECORE	IFCSUM	BGM		1001	Add	770	Booking Confirmation	Document/message issued by a carrier to confirm that space has been reserved for a consignment in means of transport. Add comment Note at message level that this is used for multi-consignment shipment.		implemented
05-000316	NECORE	REMADV	AJT		4465	Add	40	Deducted freight costs	Buyer has/will deduct freight costs from the payment	Added as example code! --> ok	implemented
03-000032	SECHRE	DESADV	LOC	43		Change					implemented
05-000151	NECORE	PRICAT	HAN	SG 36	4079	Add	NSH	Nesting height (GS1 Code)	The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the height of the item's facing (main view).		implemented
05-000151	NECORE	PRICAT	HAN	SG 36	4079	Add	NSW	Nesting width (GS1 Code)	The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the width of the item's facing (main view).		implemented
05-000151	NECORE	PRICAT	HAN	SG 36	4079	Add	NSD	Nesting depth (GS1 Code)	The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the depth of the item's facing (main view).		implemented
05-000315-01	NECORE	DESADV	DTM	45	2005	Add	X19	Animal Birth date/time (GS1 Code)	Date/time when an animal was born. For traceability purposes.	added to restricted code list in DTM in SG20 Se-No. 45	implemented
05-000315-02	NECORE	DESADV	DTM	45	2005	Add	X20	Slaughter date/time (GS1 Code)	Date/time of slaughtering of an animal.	added to restricted code list in DTM in SG20 Se-No. 45	implemented
05-000315-03	NECORE	DESADV	MEA		6313	Add	AAK	Fat Content	An indication of fat content of a product.	Include AAK in the restricted code list.	implemented
05-000315-04	NECORE	DESADV	DTM	45	2005	Add	54E	Stuffing Date/time (GS1 code)	The Date/time on which the stuffing of a container is to take place, or has taken place.		implemented
05-000315-05	NECORE	DESADV	LOC		3227	Add	41E	Mincing plant (GS1 Code)	A place where the meat of animals is cut into very small pieces using a meat grinder.	Code tag is missing added to the open codelist	implemented
05-000315-05	CodeChange	DESADV	LOC		3227	change	30E	Cutting plant (GS1 Code)	A place where the meat of animals is cut into smaller pieces.	(instead of "A place where the meat of animals is cut into smaller pieces and/or minced")	implemented
05-000315-06	NECORE	DESADV	PCI		4233	Add	41E	Marked with packaging date (GS1 Code)	Indication that the packaging date has been marked on a package.	added to the open code list	implemented
05-000315-07	SECHRE	DESADV	LOC		3055	Del			Delete comment "DE 3055 must not be used if DE 3225 is used for traceability information"		implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X15	Acidity of meat (hh hour(s) after slaughtering)	The meat's acid quality or condition expressed as a pH value measured hh hours after slaughtering.		implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	xx12			Code tag, Name and Desc are missing	implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	xx24			Code tag, Name and Desc are missing	implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	xx36			Code tag, Name and Desc are missing	implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	xx48			Code tag, Name and Desc are missing	implemented
05-000315-09	NECORE	PRICAT	RFF		1153	Add	xx	Farm approval number (GS1 Code)	Veterinary licence number allocated by a national authority to an animal farm.	Code tag, Name and Desc are missing	implemented
05-000315-09	NECORE	PRICAT	RFF		1154	Add	XC4	Cutting Plant Approval number		Code tag, Name and Desc are missing	implemented
05-000315-09	NECORE	PRICAT	RFF		1153	Add	XC5	Slaughterhouse Approval number		Code tag, Name and Desc are missing	implemented
05-000315-09	NECORE	PRICAT	RFF		1153	Add	XC6	Packing Plant Approval number		Code tag, Name and Desc are missing	implemented
05-000315-10	NECORE	PRICAT	NAD		3035	Add	X50	Mincing plant (GS1 Code)	A place where the meat of animals is cut into very small pieces using a meat grinder.	added to th open code list	implemented
05-000315-11	NECORE	PRICAT	NAD		3035	Add	X51	Fattener (GS1 Code)	Party which fattens the animal.	added to th open code list	implemented
05-000315-12	NECORE	PRICAT	LOC		3227	Add	42E	Place of fattening (GS1 Code)	Place where the animal has been fattened before killing for food.	Code tag is missing added to the open codelist	implemented
05-000315-13	NECORE	DESADV	MEA		6313	Add	X16	Slaughtering weight (GS1 Code)	Warm weight after slaughter	added to the open code list	implemented
05-000315-14	NECORE	PRICAT	NAD		3035	Add	GD	Breeder (GS1 Code)	Party which breeds the animal.	Add GS1 code into restricted code list. segment no? All code lists in PRICAT NAD 3035 are open.	implemented
05-000315-15	NECORE	DESADV	LOC		3227	Add	xxx	Animal's Birth Place (GS1 Code)	Place/Location where an animal was born (GLN or Veterinary licence number)	Code tag is missing added to the open codelist	implemented
05-000402-1	NECORE	DESADV	MEA		6313	Add	X17	Stacking factor including bottom item (GS1 Code)	Maximum number of items stackable upon each other, including the bottom item.	deleted, use Code SF	implemented
05-000402-2	CodeChange	DESADV	MEA		6313	Change	SF	Stacking factor excluding bottom item (GS1 Code)	Maximum number of items stackable upon each other, excluding the bottom item.	Change code name of an existing GS1 code.	implemented
05-000403	SECHRE	RECADV	FTX			Add			Open the use of FTX segment in header of RECADV message (existing in EDIFACT D.01B)	Code list should be open (similar to all FTX segments at header level). Recommended codes for DE 4451 AAI - General information DAR - Damage remarks ZZZ - Mutually defined For the rest use the same FTX seg description as in ORDRSP.	implemented
06-000004	NECORE	REMADV	AJT		4465	Add	42E	Treasury management service charge (GS1 Code)	This code is used if service provider responsible for treasury management is deducting the invoice by own service charge.	Recommended codes for DE 4451	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
06-000006	NECORE	REMADV	BGM		1225	Add	31	Copy	Indicates that the message is a copy of an original message that has been sent, e.g. for action or information.	AAI - General information	implemented
06-000007	NECORE	IFTMIN	TDT		8179	Add	X15	Armoured Car (GS1 Code)	A special means of transport for high value goods.	D&R - Damage remarks	implemented
06-000024	SECHRE	INVOIC	BGM		1060				Allow the use of Data Element 1060 as Optional, currently marked as NOT USED.	ZZZ - Mutually defined. What is the status of DE 1056? Still NOT USED	implemented
05-000315-08	NECORE	DESADV	MEA		6313	Change Implementation	X01	Acidity of meat (1 hour after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 1 hour after slaughtering.	For the rest use the same FTX seg description as in ORDRSP.	implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X02	Acidity of meat (12 hours after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 12 hours after slaughtering.	added to the open code list	implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X03	Acidity of meat (24 hours after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 24 hours after slaughtering.	added to the open code list	implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X04	Acidity of meat (36 hour(s) after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 36 hours after slaughtering.	added to the open code list	implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X05	Acidity of meat (48 hour(s) after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 48 hours after slaughtering.	added to the open code list	implemented
05-000315-09	NECORE	PRICAT	RFF	62	1153	Add	YC3	Farm approval number (GS1 Code)	Veterinary licence number allocated by a national authority to an animal farm.	Add to the restricted codelist	implemented
05-000315-09	NECORE	PRICAT	RFF	62	1153	Add	YC4	Cutting Plant Approval number	Add the existing code to the restricted codelist	YC4 instead of XC4. Existing code.	implemented
05-000315-09	NECORE	PRICAT	RFF	62	1153	Add	YC5	Slaughterhouse Approval number	Add the existing code to the restricted codelist	YC5 instead of XC5. Existing code.	implemented
05-000315-09	NECORE	PRICAT	RFF	62	1153	Add	YC6	Packing Plant Approval number	Add the existing code to the restricted codelist	YC6 instead of XC6. Existing code.	implemented
05-000315-14	NECORE	PRICAT	NAD	60	3035	Add	X52	Breeder (GS1 Code)	Party which breeds the animal.	Add GS1 code into the code list. segment no? All code lists in PRICAT NAD 3035 are open.	implemented
05-000315-01	NECORE	DESADV	DTM	45	2005	Add	X21	Animal Birth date/time (GS1 Code)	Date/time when an animal was born. For traceability purposes.	added to restricted code list in DTM in SG20 Se-No. 45	implemented
05-000196	NECORE	All			3055	Add	317	GS1 Brazil	Organisation responsible for the GS1 system in Brazil.		implemented
05-000188	NECORE	All			3055	Add	316	GS1 Finland	Organisation responsible for the GS1 system in Finland.		implemented
05-000186	NECORE	All			3055	Add	294	GS1 Austria	Organisation responsible for the GS1 System in Austria.		implemented
05-000187	NECORE	All			3055	Add	298	GS1 Spain	Organisation responsible for the GS1 System in Spain.		implemented
06-000000	MSCHRE	SLSRPT	UNS						Add UNS seg before UNT. UNS is mandatory in UN/EDIFACT.		implemented
06-000058	Static documents	ORDRSP							Change message definition to: "A message responding to a Purchase Order message or a PurchaseOrder Change Request message under conditions agreed between the supplier and the buyer."(according to the wording in ORDERS).		implemented
06-000059	NECORE	RECADV	BGM		1225	Add	34	Accepted with amendment	The referenced message is accepted but amended.	Add UN/EDIFACT code 34 to the restricted codes list.	implemented
06-000069	NECORE	PRICAT	ALI		4183	Add	X50	Store can not order	Store is not allowed to order	Add a new GS1 code	implemented
06-000069	NECORE	PRICAT	ALI		4183	Add	X51	DC can not order	Distribution Centre is not allowed to order	Add a new GS1 code	implemented
06-000085	MSCHRE	IFCSUM	NAD						Add the "NAD" segment (segment group 4) of the IFCSUM message in the next version of EANCOM. (Note:the "NAD" segment (segment group 4) is available in EDIFACT D01B.)Include the following qualifiers (available in EANCOM2002) in the DE3035 list :BY = Buyer CA = Carrier DP = Delivery party LSP = Logistic Service Provider (EAN Code) OB = Ordered by SU = Supplier WH = Warehouse keeper	SG4: Status of data elements and component data elements, segment description, and codes for other data elements are missing.	implemented
06-000086	MSCHRE	OSTRPT	LOC						Add the "LOC" segment under the "NAD" segment in the segment group 1 of the OSTRPT message in the next version of EANCOM. (Note: the "LOC" segment is available in EDIFACT D01B.)Include the following qualifiers (available in EANCOM2002) in the DE3227 list :14 = Location of goods (Place where goods are located and where they are available for examination)22E = Movement to location (Identification of the location to where goods are to be moved)	Status of data elements and component data elements, segment description, and codes for other data elements are missing.	implemented
06-000087	NECORE	HANMOV	HAN		4079	Add	RES	Reserve (GS1 Code)	Reserve identified goods according to specified instructions.	Add a new GS1 code	implemented
06-000096	NECORE	ORDRSP	DTM		2005	Add	15	Promotion start date/time	Date/Time when promotion activities begin.	Include an existing code in a restricted data element.	implemented
06-000111	NECORE	PRICAT	DTM		2005	Add	356	Sales date, and or time, and or period	The date, and or time, and or period on which a sale took place, or can take place		implemented
06-000112	NECORE	PRICAT	DTM		2379	Add	715	YYYY-YYYY	Format for a period of calendar weeks to be given in actual message without hyphen		implemented
06-000118	NECORE	PRICAT	DTM		2005	Add	73	Guarantee period	The period for which the guarantee is or will be granted.		implemented
06-000136	NECORE	SLSRPT	QTY		6063	Add	145	Actual Stock	The stock on hand, undamaged, and available for despatch, sale or use.	Add existing EDIFACT code 145 into restricted EANCOM coed list.	implemented
06-000069	NECORE	PRICAT	ALI		4183	Add	X53	Store can not order	Store is not allowed to order	Add a new GS1 code	implemented
06-000069	NECORE	PRICAT	ALI		4183	Add	X54	DC can not order	Distribution Centre is not allowed to order	Add a new GS1 code	implemented
06-000058	Static documents	ORDRSP							Change message definition to: "A message responding to a Purchase Order message or a PurchaseOrder Change Request message under conditions agreed between the supplier and the buyer."(according to the wording in ORDERS).		implemented
05-000029-001	NECORE	PRICAT	NAD	SG2	3035	Add	X53	Content Owner (GS1 Code)	Not available.	added as example code	implemented
05-000029-002	NECORE	PRICAT	NAD	SG2	3035	Add	X54	Source Data Pool (GS1 Code)	A data pool that supports the functionality required by a Data Source such as Data Loading, Publication, Notification, Registration, etc.	added as example code	implemented
05-000029-003	NECORE	PRICAT	PGI	SG17	5379	Add	X10	Target Market Division/Subdivision code (GS1 Code)	The Target Market is a geographical region based upon geographical boundaries sanctioned by the United Nations.	added as example code	implemented
05-000029-004	NECORE	PRICAT	FTX	SG36	4451	Add	ACL	Quality Statement Code	A statement on the quality of an object.	added as example code	implemented
05-000029-005	NECORE	PRICAT	FTX	SG36	4451	Add	AGZ	Marketing activities	Information concerning marketing activities.	added as example code	implemented
05-000029-006	NECORE	PRICAT	MEA	SG36	6313	Add	X10	Peg Hole Number (GS1 Code)	Used to indicate the peg hole numbers when more than one hole is present in the product or packaging.	added to the codelist, not as example code	implemented
05-000029-007	NECORE	PRICAT	MEA	SG36	6313	Add	X20	Quantity of Inner Pack (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-008	NECORE	PRICAT	MEA	SG36	6313	Add	X21	Quantity of next level Trade Item within Inner Pack (GS1 Code)	The number of next lower level trade items contained within the physical non-coded grouping (innerpack).	added to the codelist, not as example code	implemented
05-000029-009	NECORE	PRICAT	QTY	SG36	6063	Add	X32	Number of Packages for set pieces GTIN (GS1 Code)	Number of packages that make up the set.	added to the codelist, not as example code	implemented
05-000029-010	NECORE	PRICAT	QTY	SG36	6063	Add	X33	Number of Pieces in set (GS1 Code)	The number of individual components in a grouping of merchandise that is sold together as a single trade item.	added to the codelist, not as example code	implemented
05-000029-011	NECORE	PRICAT	QTY	SG36	6063	Add	X31	Order sizing factor (GS1 Code)	A trade item specification other than gross, net weight, or cubic feet for a line trade item or a transaction, used for order sizing and pricing purposes.	added to the codelist, not as example code	implemented
05-000029-012	NECORE	PRICAT	QTY	SG36	6063	Add	X30	Quantity of children (GS1 Code)	Value indicates the number of unique next lower level trade items contained in a complex trade item.	added to the codelist, not as example code	implemented
05-000029-013	NECORE	PRICAT	QTY	SG36	6063	Add	X34	Agreed Maximum Buying Quantity (GS1 Code)	The maximum quantity of the product available to the retailer.	added to the codelist, not as example code	implemented
05-000029-014	NECORE	PRICAT	QTY	SG36	6063	Add	X35	Agreed Minimum Buying Quantity (GS1 Code)	Minimum buying quantity agreed between trading partners.	added to the codelist, not as example code	implemented
05-000029-015	NECORE	PRICAT	PIA	SG36	7143	Add	BRI	Brick Code (GS1 Code)	Global GS1 classification category code. Unique, permanent 10-digit key.	added as example code	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
05-000029-016	NECORE	PRICAT	PIA	SG36	7143	Add	GAT	GPC Brick attribute type (GS1 Code)	Unique 8 digit code which identifies the Global EAN.UCC classification.	added as example code	implemented
05-000029-017	NECORE	PRICAT	PIA	SG36	7143	Add	X10	Lottery game number (GS1 Code)		added as example code	implemented
05-000029-018	NECORE	PRICAT	PIA	SG36	7143	Add	X11	Lottery pack book number (GS1 Code)		added as example code	implemented
05-000029-019	NECORE	PRICAT	PIA	SG36	7143	Add	X12	NABCA product code (GS1 Code)		added as example code	implemented
05-000029-020	NECORE	PRICAT	IMD	SG36	7081	Add	XX3	Clothing Cut (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-021	NECORE	PRICAT	IMD	SG36	7081	Add	XX4	Non marked trade item components (GS1 Code)	This attribute indicates a nonsealable part of the trade item. It is used to specify components of a trade item that cannot be sold separately.	added to the codelist, not as example code	implemented
05-000029-022	NECORE	PRICAT	IMD	SG36	7081	Add	XX5	Campaign name (GS1 Code)	Name of the sales or marketing campaign, for which the textile trade item.	added to the codelist, not as example code	implemented
05-000029-023	NECORE	PRICAT	IMD	SG36	7081	Add	XX6	Season name (GS1 Code)	Element defines the season applicable to the item.	added to the codelist, not as example code	implemented
05-000029-024	NECORE	PRICAT	IMD	SG36	7081	Add	XX8	Target Consumer Age (GS1 Code)	Identifies the target consumer age range for which a trade item has been designed.	added to the codelist, not as example code	implemented
05-000029-025	NECORE	PRICAT	IMD	SG36	7081	Add	XY1	Link to external description (GS1 Code)	The link (e.g. URL) to the external description.	added to the codelist, not as example code	implemented
05-000029-026	NECORE	PRICAT	IMD	SG36	7081	Add	XY3	Trade item group identification (GS1 Code)	The text description of the value represented by the trade itemGroupIDCode.	added to the codelist, not as example code	implemented
05-000029-027	NECORE	PRICAT	IMD	SG36	7081	Add	XX1	Collar Type (GS1 Code)	Type of collar on the garment.	added to the codelist, not as example code	implemented
05-000029-028	NECORE	PRICAT	IMD	SG36	7081	Add	XX2	Sleeve Type (GS1 Code)	Type of sleeve on the garment.	added to the codelist, not as example code	implemented
05-000029-029	NECORE	PRICAT	IMD	SG36	7081	Add	IN	Invoice name (GS1 Code)	Free form information provider assigned trade item description designed to match trade item/service description as noted on invoices.	added to the codelist, not as example code	implemented
05-000029-030	NECORE	PRICAT	IMD	SG36	7081	Add	PR	Product Range (GS1 Code)	A name, used by a BrandOwner, that span multiple consumer categories or uses. E.g. (Waist Watchers).	added to the codelist, not as example code	implemented
05-000029-031	NECORE	PRICAT	IMD	SG36	7081	Add	SB	Subbrand (GS1 Code)	Second level of brand. Can be a trademark. It is the primary differentiating factor that a brand owner wants to communicate to the consumer or buyer.	added to the codelist, not as example code	implemented
05-000029-032	NECORE	PRICAT	IMD	SG36	7081	Add	FN	Functional Name (GS1 Code)	Describes use of the product or service by the consumer. Should help clarify the product classification associated with the GTIN.	added to the codelist, not as example code	implemented
05-000029-033	NECORE	PRICAT	IMD	SG36	7081	Add	XY2	Additional Trade Item Description (GS1 Code)	Additional variants necessary to communicate to the industry to help define the product. Multiple variants can be established for each GTIN. This is a repeatable field, e.g. Style, Color, and Fragrance.	added to the codelist, not as example code	implemented
05-000029-034	NECORE	PRICAT	IMD	SG36	7009	Add	CA	Case (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-035	NECORE	PRICAT	IMD	SG36	7009	Add	DSP	Display shipper (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-036	NECORE	PRICAT	IMD	SG36	7009	Add	MM	Mixed module (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-037	NECORE	PRICAT	IMD	SG36	7009	Add	MP	Multipack (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-038	NECORE	PRICAT	IMD	SG36	7009	Add	PIP	Packer or inner pack (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-039	NECORE	PRICAT	IMD	SG36	7009	Add	PAL	Pallet (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-040	NECORE	PRICAT	IMD	SG36	7009	Add	PPK	Prepack (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-041	NECORE	PRICAT	IMD	SG36	7009	Add	PAS	Prepack assortment (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-042	NECORE	PRICAT	IMD	SG36	7009	Add	SPK	Setpack (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-043	NECORE	PRICAT	IMD	SG36	7009	Add	CIT	Collateral Item (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-044	NECORE	PRICAT	IMD	SG36	7009	Add	DAS	Dynamic Assortment (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-045	NECORE	PRICAT	IMD	SG36	7009	Add	GWP	Gift with purchase (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-046	NECORE	PRICAT	IMD	SG36	7009	Add	PWP	Purchase with purchase (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-047	NECORE	PRICAT	IMD	SG36	7009	Add	XX1	Count (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-048	NECORE	PRICAT	IMD	SG36	7009	Add	XX2	Area (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-049	NECORE	PRICAT	IMD	SG36	7009	Add	XX3	Weight (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-050	NECORE	PRICAT	IMD	SG36	7009	Add	XX4	Volume (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-051	NECORE	PRICAT	IMD	SG36	7009	Add	XX5	Length (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-052	NECORE	PRICAT	IMD	SG36	7009	Add	XX6	Loose (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-053	NECORE	PRICAT	IMD	SG36	7009	Add	XX7	Pre-packed (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-054	NECORE	PRICAT	IMD	SG36	7081	Add	XY4	Price by measure type (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-055	NECORE	PRICAT	IMD	SG36	7081	Add	XY5	Variable trade item type (GS1 Code)		added to the codelist, not as example code	implemented
05-000029-056	NECORE	PRICAT	IMD	SG36	7081	Add	XY3	Trade item group identification (GS1 Code)	A code assigned by the supplier or manufacturer to logically group trade item independently from the Global trade item Classification.	added to the codelist, not as example code	implemented
05-000029-057	NECORE	PRICAT	IMD	SG36	7081	Add	NBU	Not a base unit (GS1 Code)	Not the lowest level packaged unit for a given product, which may or may not be the consumer unit.	added to the codelist, not as example code	implemented
05-000029-058	NECORE	PRICAT	IMD	SG36	7081	Add	XX7	Season parameter (GS1 Code)	Indication of the season, in which the trade item is available, i.e. assignment to one of the following collection periods: spring/summer, autumn/ winter or all year around.	added to the codelist, not as example code	implemented
05-000029-059	NECORE	PRICAT	IMD	SG36	7081	Add	XX9	Target Consumer Gender (GS1 Code)	Identifies the target consumer gender for which a product has been designed.	added to the codelist, not as example code	implemented
05-000029-060	NECORE	PRICAT	IMD	SG36	7081	Add	SPR	Spring (GS1 Code)	Spring season.	added to the codelist, not as example code	implemented
05-000029-061	NECORE	PRICAT	IMD	SG36	7081	Add	SMR	Summer (GS1 Code)	Summer season.	added to the codelist, not as example code	implemented
05-000029-062	NECORE	PRICAT	IMD	SG36	7081	Add	AUT	Autumn (GS1 Code)	Autumn season.	added to the codelist, not as example code	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
05-000029-063	NECORE	PRICAT	IMD	SG36	7081	Add	WNT	Winter (GS1 Code)	Winter season.	added to the codelist, not as example code	implemented
05-000029-064	NECORE	PRICAT	IMD	SG36	7081	Add	FEM	Female (GS1 Code)	Female gender.	added to the codelist, not as example code	implemented
05-000029-065	NECORE	PRICAT	IMD	SG36	7081	Add	MAL	Male (GS1 Code)	Male gender.	added to the codelist, not as example code	implemented
05-000029-066	NECORE	PRICAT	IMD	SG36	7081	Add	UNI	Unisex (GS1 Code)	No gender.	added to the codelist, not as example code	implemented
05-000029-067	NECORE	PRICAT	DTM	SG36	2005	Add	X40	First Ship Date (GS1 Code)	It indicates the earliest date that the trade item can be shipped. This is independent of any specific ship-from location.	added to the codelist, not as example code	implemented
05-000029-068	NECORE	PRICAT	DTM	SG36	2005	Add	X41	Last Ship Date (GS1 Code)	It indicates the latest date that the trade item can be shipped. This is independent of any specific ship-from location.	added to the codelist, not as example code	implemented
05-000029-069	NECORE	PRICAT	DTM	SG36	2005	Add	X45	Start date maximum buying quantity (GS1 Code)	The start date for when the maximum buying quantity is available to the trading partner.	added to the codelist, not as example code	implemented
05-000029-070	NECORE	PRICAT	DTM	SG36	2005	Add	X46	Start date minimum buying quantity (GS1 Code)	The start date for when the minimum buying quantity is available to the trading partner.	added to the codelist, not as example code	implemented
05-000029-071	NECORE	PRICAT	DTM	SG36	2005	Add	X47	Campaign end date (GS1 Code)	The date suggested by the supplier for the campaign to end. It indicates the end of a marketing campaign.	added to the codelist, not as example code	implemented
05-000029-072	NECORE	PRICAT	DTM	SG36	2005	Add	X48	Campaign start date (GS1 Code)	The date suggested by the supplier for the campaign to start. It indicates the beginning of a marketing campaign.	added to the codelist, not as example code	implemented
05-000029-073	NECORE	PRICAT	DTM	SG36	2005	Add	X49	Seasonal availability end date (GS1 Code)	Indicates the end date of the trade item's seasonal availability.	added to the codelist, not as example code	implemented
05-000029-074	NECORE	PRICAT	DTM	SG36	2005	Add	X50	Seasonal availability start date (GS1 Code)	Indicates the start date of the trade item's seasonal availability.	added to the codelist, not as example code	implemented
05-000029-075	NECORE	PRICAT	DTM	SG36	2005	Add	X51	Season calendar year (GS1 Code)	This element indicates the calendar year in which the trade item is seasonally available.	added to the codelist, not as example code	implemented
05-000029-076	NECORE	PRICAT	DTM	SG36	2005	Add	X52	Goods pickup lead time (GS1 Code)	Time (in weeks, days, hours ...) required between order entry and the earliest goods release (use for pick-up, not use for delivery).	added to the codelist, not as example code	implemented
05-000029-077	NECORE	PRICAT	DTM	SG36	2005	Add	X30	Last change Date (GS1 Code)	A system generated value identifying the date and time a record was last updated.	added to the codelist, not as example code	implemented
05-000029-078	NECORE	PRICAT	DTM	SG36	2005	Add	381	Product Lifespan at time of production (GS1 Code)	The total lifespan of a product at the time of its production.	added to the codelist, not as example code	implemented
05-000029-079	NECORE	PRICAT	DTM	SG36	2005	Add	X42	End date maximum buying quantity (GS1 Code)	The end date for when the maximum buying quantity is no longer available to the trading partner.	added to the codelist, not as example code	implemented
05-000029-080	NECORE	PRICAT	DTM	SG36	2005	Add	X43	End date minimum buying quantity (GS1 Code)	The end date for when the minimum buying quantity is no longer available to the trading partner.	added to the codelist, not as example code	implemented
05-000029-081	NECORE	PRICAT	DTM	SG36	2005	Add	X44	End date of exclusivity (GS1 Code)	The Date & Time at which a product is no longer exclusive to that trading partner.	added to the codelist, not as example code	implemented
05-000029-082	NECORE	PRICAT	LOC	SG36	3227	Add	X11	Country of assembly (GS1 Code)	Country where product is assembled. Uses ISO country codes.	added as example code	implemented
05-000029-083	NECORE	PRICAT	ALI	SG36	4183	Add	X38	Net content declaration indicated (GS1 Code)	This field is used to facilitate local business rules where a declaration of a trade item's net content is on the product label.	added to the codelist, not as example code	implemented
05-000029-084	NECORE	PRICAT	ALI	SG36	4183	Add	X39	Net content declaration not indicated (GS1 Code)	This field is used to facilitate local business rules where a declaration of a trade item's net content is not on the product label.	added to the codelist, not as example code	implemented
05-000029-085	NECORE	PRICAT	ALI	SG36	4183	Add	X37	Trade Item Not Irradiated (GS1 Code)	Indicates if radiation has not been applied to an trade item.	added to the codelist, not as example code	implemented
05-000029-086	NECORE	PRICAT	ALI	SG36	4183	Add	X36	Trade Item Not Genetically Modify (GS1 Code)	Used to indicate when a trade item doesn't contain genetically modified contents.	added to the codelist, not as example code	implemented
05-000029-087	NECORE	PRICAT	ALI	SG36	4183	Add	X30	Production batch number not allocated (GS1 Code)	Indication whether the base trade item has no batch or lot number.	added to the codelist, not as example code	implemented
05-000029-088	NECORE	PRICAT	ALI	SG36	4183	Add	X31	Non sold trade item not returnable (GS1 Code)	Indicates that the buyer can't return the articles that are not sold.	added to the codelist, not as example code	implemented
05-000029-089	NECORE	PRICAT	ALI	SG36	4183	Add	X34	Ingredient irradiated (GS1 Code)	Indicates if radiation has been applied to a trade item's ingredient.	added to the codelist, not as example code	implemented
05-000029-090	NECORE	PRICAT	ALI	SG36	4183	Add	X35	Ingredient not irradiated (GS1 Code)	Indicates if radiation has not been applied to a trade item's ingredient.	added to the codelist, not as example code	implemented
05-000029-091	NECORE	PRICAT	ALI	SG36	4183	Add	X32	Raw material irradiated (GS1 Code)	Indicates if radiation has not been applied to a trade item's ingredient.	added to the codelist, not as example code	implemented
05-000029-092	NECORE	PRICAT	ALI	SG36	4183	Add	X33	Raw material not irradiated (GS1 Code)	Indicates if radiation has not been applied to a trade item's raw material.	added to the codelist, not as example code	implemented
05-000029-093	NECORE	PRICAT	ALI	SG36	4183	Add	X40	Reorderable trade item (GS1 Code)	This element is an indicator that selected styles or trade items may be reordered.	added to the codelist, not as example code	implemented
05-000029-094	NECORE	PRICAT	MEA	SG37	6411	Add	37	Ounces per square yard		added to the codelist, not as example code	implemented
05-000029-095	SECHRE	PRICAT	MEA	SG37	C502	Change			Status from "R" to "O"		implemented
05-000029-096	NECORE	PRICAT	CAV	SG37	3055	Add	174	DE, DIN (Deutsches Institut fuer Normung)	German standardization institute.	added as example code	implemented
05-000029-097	NECORE	PRICAT	CCI	SG37	7037	Add	COMPLIANT	Class Compliance Code (GS1 Code)	A code that indicates that a trade item is in compliance with specific applicable government regulations.	added to the codelist, not as example code	implemented
05-000029-098	NECORE	PRICAT	CCI	SG37	7037	Add	MATERIAL	Material Information (GS1 Code)	This element is used to specify the quality of material (fabric) of a trade item.	added to the codelist, not as example code	implemented
05-000029-099	NECORE	PRICAT	CAV	SG37	1131	Add	X11	Diet Allergen (GS1 Code)	Indication of which dietary or allergen marks that are on the package.	added to the codelist, not as example code	implemented
05-000029-100	NECORE	PRICAT	CAV	SG37	1131	Add	X12	Environment (GS1 Code)	Indication of which environmental marks (e.g. recycling schemes) that are on trade item package.	added to the codelist, not as example code	implemented
05-000029-101	NECORE	PRICAT	CAV	SG37	1131	Add	X13	Ethical (GS1 Code)	Indication of which ethical trading marks that are on the package.	added to the codelist, not as example code	implemented
05-000029-102	NECORE	PRICAT	CAV	SG37	1131	Add	X14	Free Form (GS1 Code)	Indication of which free-from marks that are on the package.	added to the codelist, not as example code	implemented
05-000029-103	NECORE	PRICAT	CAV	SG37	1131	Add	X15	Expiration date (GS1 Code)	Indicates the type of expiration date marked on the packaging.	added to the codelist, not as example code	implemented
05-000029-104	NECORE	PRICAT	CAV	SG37	1131	Add	LOC	Location Code (GS1 Code)	This is a code to indicate where the EAS tag is located on the Trade Item. Values include On outside of Trade Item, Concealed inside Trade Item, Integrated inside Trade Item.	added to the codelist, not as example code	implemented
05-000029-105	NECORE	PRICAT	CAV	SG37	1131	Add	TYP	Type Code (GS1 Code)	This is a code to indicate the type of EAS tag located on the Trade Item. Values include Acousto-Magnetic, Electro-Magnetic, Ink or dye, Microwave, Radio Frequency.	added to the codelist, not as example code	implemented
05-000029-106	NECORE	PRICAT	CAV	SG37	1131	Add	OUM	Ordering unit of measure (GS1 Code)	The alternate Unit of Measure of how Trade Items are ordered by the Retailer under one Unit of Measure, but sold under another Unit of Measure.	added to the codelist, not as example code	implemented
05-000029-107	NECORE	PRICAT	CAV	SG37	1131	Add	SUM	Selling unit of measure (GS1 Code)	Describes the measurement used for selling unit of the Trade Item to the end consumer.	added to the codelist, not as example code	implemented
05-000029-108	NECORE	PRICAT	CAV	SG37	1131	Add	SGZ	Size Group (GS1 Code)	A description of the variable size that is necessary to uniquely specify the size of the item in conjunction with the nonpackaged size dimension.	added to the codelist, not as example code	implemented
05-000029-109	NECORE	PRICAT	CAV	SG37	1131	Add	OAG	Organic Claim Agency (GS1 Code)	A governing body that creates and maintain standards related to organic products.	added to the codelist, not as example code	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status	
05-000029-110	NECORE	PRICAT	CAV	SG37	1131	Add	OCO	Organic Trade Item Code (GS1 Code)	Used to indicate the organic status of a trade item or of one or more of its components.	added to the codelist, not as example code	implemented	
05-000029-111	NECORE	PRICAT	CCI	SG37	7037	Add	RECYCLE	Recycle (GS1 Code)	The recycling scheme a package is under if marked as recyclable.	added to the codelist, not as example code	implemented	
05-000029-112	NECORE	PRICAT	ALC	SG41	7161	Add	X01	Allowance Global (GS1 Code)		added as example code	implemented	
05-000029-113	NECORE	PRICAT	ALC	SG41	7161	Add	X02	Charge Global (GS1 Code)		added as example code	implemented	
05-000029-114	NECORE	PRICAT	ALC	SG41	7161	Add	X03	Consolidated (GS1 Code)		added as example code	implemented	
05-000029-115	NECORE	PRICAT	ALC	SG41	7161	Add	X04	Lump sum (GS1 Code)		added as example code	implemented	
05-000029-116	NECORE	PRICAT	ALC	SG41	7161	Add	X05	Markup for small volume purchases (GS1 Code)		added as example code	implemented	
05-000029-117	NECORE	PRICAT	ALC	SG41	7161	Add	FR	Flat Rate (GS1 Code)		added as example code	implemented	
05-000029-118	NECORE	PRICAT	ALC	SG41	4471	Add	X01	Item accruals (GS1 Code)	Expenses related to an item for which invoices have not been received yet at the end of the current accounting period.	added as example code	implemented	
05-000029-119	NECORE	PRICAT	ALC	SG41	4471	Add	X02	Vendor accruals (GS1 Code)	Expenses related to a vendor for which invoices have not been received yet at the end of the current accounting period.	added as example code	implemented	
05-000029-120	NECORE	PRICAT	MEA	SG47	6313	Add	UPL	Quantity of trade item per pallet layer (GS1 Code)	The number of trade items contained on a single layer of a pallet.	added as example code	implemented	
05-000029-121	NECORE	PRICAT	PAC	SG47	7073	Add	XX1	Exchange Pallets (GS1 Code)		added as example code	implemented	
05-000029-122	NECORE	PRICAT	PAC	SG47	7073	Add	XX2	Return Pallets (GS1 Code)		added as example code	implemented	
05-000029-123	NECORE	PRICAT	PAC	SG47	7073	Add	XX3	Pallet - Third Party Exchange (GS1 Code)		added as example code	implemented	
05-000029-124	NECORE	PRICAT	PAC	SG47	7073	Add	XX4	No Exchange / No Return Pallet (GS1 Code)		added as example code	implemented	
05-000029-125	NECORE	PRICAT	PAC	SG47	7233	Add	X01	Composite Component A (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-126	NECORE	PRICAT	PAC	SG47	7233	Add	X02	Composite Component B (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-127	NECORE	PRICAT	PAC	SG47	7233	Add	X03	Composite Component C (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-128	NECORE	PRICAT	PAC	SG47	7233	Add	X04	RSS 14 (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-129	NECORE	PRICAT	PAC	SG47	7233	Add	X05	RSS 14 Staked (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-130	NECORE	PRICAT	PAC	SG47	7233	Add	X06	RSS 14 Staked omnidirectional (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-131	NECORE	PRICAT	PAC	SG47	7233	Add	X07	RSS 14 truncated (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-132	NECORE	PRICAT	PAC	SG47	7233	Add	X08	RSS expanded (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-133	NECORE	PRICAT	PAC	SG47	7233	Add	X09	RSS expanded truncated (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-134	NECORE	PRICAT	PAC	SG47	7233	Add	X10	RSS limited (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-135	NECORE	PRICAT	PAC	SG47	7233	Add	X11	UPC A symbol (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-136	NECORE	PRICAT	PAC	SG47	7233	Add	X12	UPC E Symbol (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-137	NECORE	PRICAT	PAC	SG47	7233	Add	X13	EANUCC 14 Symbol (GS1 Code)		added to the codelist, not as example code	implemented	
05-000029-138	NECORE	PRICAT	PAC	SG47	7233	Add	X14	Package not marked returnable (GS1 Code)	Trade item has no returnable packaging.	added to the codelist, not as example code	implemented	
05-000029-139	SECHRE	PRICAT	PAT	SG48	4276	Change			Change status from "N" to "O"		implemented	
05-000029-140	SECHRE	PRICAT	PAT	SG48	C110	Change			Change status from "N" to "O"		implemented	
05-000029-141	SECHRE	PRICAT	PAT	SG48	4277	Change			Change status from "N" to "R"	DE 4277 has Status M if C110 is used!	implemented	
05-000029-142	NECORE	PRICAT	PAT	SG48	2475	Add	X10	Receipt of goods (GS1 Code)		added as example code	implemented	
05-000029-143	NECORE	PRICAT	DTM	SG48	2379	Add	110	DD	Day's number within is a specific month.	added as example code	implemented	
05-000029-144	NECORE	PRICAT	PAT	SG48	4279	Add	X10	Discount after deducting freight (GS1 Code)		added as example code	implemented	
05-000029-145	NECORE	PRICAT	PAT	SG48	4279	Add	X11	Valuta (GS1 Code)		added as example code	implemented	
05-000029-146	NECORE	PRICAT	NAD	SG52	3035	Add	BOW	Brand Owner (GS1 Code)	Brand Owner of the product.	added as example code	implemented	
05-000029-147	NECORE	PRICAT	PIA	SG56	7143	Add	X10	Lottery game number (GS1 Code)		added as example code	implemented	
05-000029-148	NECORE	PRICAT	PIA	SG56	7143	Add	X11	Lottery pack book number (GS1 Code)		added as example code	implemented	
05-000029-149	NECORE	PRICAT	PIA	SG56	7143	Add	X12	NABCA product code (GS1 Code)		added as example code	implemented	
06-000148	NECORE	ORDERS INVOICE	PIA		7143	Add	EWC	European Waste Catal	Waste type number according to the European Waste Catalogue (EWC).	added as example code	implemented	
06-000149	NECORE	ORDERS	PCI		7065	Add	SEC	Article Surveillance	Equipped with article surveillance.	DE 7065 is not existing in PCI segment --> PAC see GEF520	implemented	
06-000200	NECORE	ORDERS	BGM	2	1001	Change	400	Exceptional Order	Create a Document "Summary of the accepted change requests with respect to EANCIM 2002 - Update 2006"	Generate EANCIM HTML Documentation	implemented	
06-000205_1	NECORE	PRICAT	PAC	116	7233	Add	STO	Last Date of sale marked on package (GS1 Code)	EDIFACT: An order which falls outside the framework of an agreement. EANCIM: An order which falls outside the framework of an agreement or an order containing non-standard information.	Package is marked with the last date on which the item can be sold.	added as example code	implemented
06-000205_2	NECORE	PRICAT	PAC	116	7233	Add	UTO	Last date of use marked on package (GS1 Code)		Package is marked with the last date on which the item can be used.	added as example code	implemented
06-000205_3	NECORE	PRICAT	PAC	116	7233	Add	PKD	Packaging / manufacturing date marked on package (GS1 Code)		Package is marked with the item's packaging or manufacturing date.	added as example code	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
06-000205_4	NECORE	PRICAT	PAC	116	7233	Add	NOD	No freshness date (of any kind) marked on package (GS1 Code)	Package is not marked with any kind of freshness date.	added as example code	implemented
06-000206	NECORE	PRICAT	FTX	91	4451	Add	AEI	Instructions to the applicant	Instructions given to the applicant.	added as example code	implemented
06-000207	NECORE	PRICAT	FTX	91	4451	Add	ING	Ingredients contained (GS1 Code)	Information on the constituent ingredient make up of the product specified as one string. Example: FTX+ING+1++Tomato puree (54%), water, onions (9%), sunflower seed oil FTX+ING+1++(cold pressed, untempered, unrefined) (10%), corn syrup (2%), soy protein (12%)+EN'	added as example code	implemented
06-000209	NECORE	PRICAT	MEA	84 & 94	6411	Add	DRG	Dragée (GS1 Code)	Number of dragées (coated tablets) contained in the item's package as a measurement unit.	added as example code	implemented
06-000210	NECORE	PRICAT	MEA	84 & 94	6411	Add	NIU	Number of International Units	EDIFACT: None EANCOM: Number of international units (IU) contained in a reference quantity of the item, e.g. for vitamin E.	added as example code	implemented
06-000213	NECORE	PRICAT	MEA	84 & 94	6411	Add	KCL	Kilocalorie (GS1 Code)	Unit of measure for the calorific value of the item (= 1000 cal).	added as example code	implemented
06-000214_1	NECORE	PRICAT	MEA	84 & 94	6313	Add	CF1	Colony forming Unit (GS1 Code)	Micro-organism colonies that are to be counted under determined conditions.	added as example code	implemented
06-000214_2	NECORE	PRICAT	MEA	84 & 94	6411	Add	CF2	Colony forming unit per gram (GS1 Code)	Colony forming units per gram is a unit of measure for micro-organisms, such as bacteria, in a food item. Micro-organisms form colonies that are to be counted under determined conditions	added as example code	implemented
06-000215_1	NECORE	PRICAT	PAC	116	7065	Add	WRP	Wrapper (GS1 Code)	Wrapping e.g. for an individually packed ice cream.	added as example code	implemented
06-000215_2	NECORE	PRICAT	PAC	116	7065	Add	POP	Cone shaped paper wrapper (GS1 Code)	Cone shaped paper wrapping e.g. for an individually packed ice cream cone.	added as example code	implemented
06-000215_3	NECORE	PRICAT	PAC	116	7065	Add	FOB	Folding box (GS1 Code)	Folded cardboard box e.g for products like frozen vegetables, paper clips	added as example code	implemented
06-000216	NECORE	PRICAT	IMD	83	7009	Add	NPC	Reusable container, but not standardized by a pool cooperative (GS1 Code)	Reusable container that is not standardized by a pool cooperative.	added as example code	implemented
06-000217_1	NECORE	PRICAT	IMD	83	7009	Add	BLK	Bulk consumer unit (GS1 Code)	The item is designed as a bulk consumer unit, i.e. to be sold mainly to hotels, restaurants, caterers, hospitals etc.	added as example code	implemented
06-000217_2	NECORE	PRICAT	IMD	83	7009	Add	NLK	Not a bulk consumer unit (GS1 Code)	The item is not designed as a bulk consumer unit, i.e. to be sold mainly to hotels, restaurants, caterers, hospitals etc.	added as example code	implemented
06-000218	NECORE	PRICAT	HAN	86 & 118	4079	Add	FRO	Frozen (GS1 Code)	The identified products is frozen and should be kept frozen.	added as example code	implemented
06-000219	NECORE	PRICAT	HAN	86 & 118	4079	Add	FAC	Factory package (GS1 Code)	Item isn't packed for end consumer. Repacking might be necessary	added as example code	implemented
06-000220	NECORE	PRICAT	MEA	84 & 94	6411	Add	Z3	Gram per cubic centimeter	EDIFACT: None EANCOM: g/cm3 as a unit of measure for the density of gas. This is necessary for dangerous substance articles for determination of the quantities that can be stored together on the shelf.	added as example code	implemented
06-000231_1	NECORE	PRICAT	IMD		7081	Add	OFS	Order Fulfilment Strategy	The method used by the supplier to fulfil a customer order for a particular product. Three strategies are recognised: Make to Order, Make to Stock and Engineer to Order.	added as example code	implemented
06-000231_2	NECORE	PRICAT	IMD		7009	Add	MTO	Make to Order	A Make to Order environment is one in which products are completed after receipt of a customer order and are built or configured only in response to a customer order.	added as example code	implemented
06-000231_3	NECORE	PRICAT	IMD		7009	Add	MTS	Make to Stock	Make to Stock products are intended to be shipped from finished goods or 'off the shelf', are completed prior to receipt of a customer order, and are generally produced in accordance with sales forecasts.	added as example code	implemented
06-000231_4	NECORE	PRICAT	IMD		7009	Add	ETO	Engineer to Order	Engineer to Order includes products that are designed, developed and manufactured in response to a specific customer request.	added as example code	implemented
06-000236	NECORE	INVOIC	BGM		1001	Add	XX1	Self billed debit note (GS1 Code)	A document which indicates that the customer is claiming debit in a self billing environment.	added as restricted code	implemented
06-000247	SECHRE	PRICAT	MOA	115	6345	Allow Use			Change status of DE 6345 from N to O in MOA Seg of SG 46.		implemented
06-000255_1	NECORE	IFCSUM	EQD	18	8053	Add	RP1	Roll Pallet 1 (GS1 Code)	Pallet on rolls with dimensions 80 X 60 cm.	added as example code	implemented
06-000255_2	NECORE	IFCSUM	EQD	18	8053	Add	RP2	Roll Pallet 2 (GS1 Code)	Pallet on rolls with dimensions 120 X 60 cm.	added as example code	implemented
06-000286	NECORE	PRICAT	PIA		4347	Add	X3	Non-promotional item (GS1 Code)	The GTIN of the standard Trade Item. Used to indicate which trade item the promotional trade item replaces or coexists with. To enable the linking of identification and there for information between the two trade items.	added as restricted code	implemented
06-000287	NECORE	PRICAT	IMD		7081	Add	87	Promotional Event	Describes the promotional event associated with a product.	code must be 87 (not 78, cut & past trap :-) added as example code	implemented
06-000288	NECORE	PRICAT	IMD		7009	Add	PR1	Bonus Pack (GS1 Code)	The free quantity promotional trade item contains free additional quantities. The additional quantity is written on the package as free.	added as example code	implemented
06-000289	NECORE	PRICAT	IMD		7009	Add	PR2	Free components (GS1 Code)	It contains free included components or material. The price is lower since the trade item includes a part of its content free. The free quantity is written on the package.	added as example code	implemented
06-000290	NECORE	PRICAT	IMD		7009	Add	PR3	Free quantity (GS1 Code)	It contains free quantity, a "special offer" sticker on the package indicates the promotional offer but the free quantity is not written on the package. If the free quantity promotional offer results in a change of GTIN and the quantity of product is the same as the standard trade item, it qualifies as a free quantity promotional trade item. The linkage has to be provided.	added as example code	implemented
06-000291	NECORE	PRICAT	IMD		7009	Add	PR4	Multi-pack and combination pack (GS1 Code)	It is a promotional grouping with included free quantity. The grouping is created for promotional activities only. In the grouping a part of the quantity is free.	added as example code	implemented
06-000292	NECORE	PRICAT	QTY		6063	Add	X40	Free quantity of next lower level trade item (GS1 Code)	The numeric quantity of free items in a combination pack. If the free quantity promotional trade item is simple or is a multi-pack the free quantity is populated. The unit of measure used for the free quantity of next lower level must be the same as the unit of measure of the Net Content of the Child Trade Item.	added as example code	implemented
07-000001	SECHRE	INVOIC	AJT			Allow Use			Add AJT Segment at Header Level. This is an existing segment in EDIFACT D.01B just need to add it. SG24 AJT-FTX	Status of data elements and component data elements, segment description, and codes for other data elements are missing.	implemented
07-000002	SECHRE	INVOIC	RFF			Allow Use			Add RFF segment within the TDT (SG9) at header level. This is an existing segment in EDIFACT D.01B and just needs to be added. SG11 RFF-DTM	Status of data elements and component data elements, segment description, and codes for other data elements are missing.	implemented
07-000006	NECORE	PRICAT	RFF	88	1153	Add	XC2	Hygienic Certificate number (GS1 Code)	Nationally set Hygienic (Sanitary, Epidemiologic) Certificate number.	added as example code	implemented
07-000011	NECORE	ALL	PAC	3	3055	Add	IE	GS1 Ireland (GS1 Code)	Organisation responsible for GS1 system in Finland.	added as example code	implemented
07-000001	MSCHRE	INVOIC	AJT	38		Add			Add Segment AJT in the header		implemented
07-000039	NECORE	DESADV	PAC	23	7233	Add	55E	Package barcoded and EPC tagged (GS1 Code)	Package barcoded with GS1-128 Bar Code Symbol and also tagged with EPC transponder.	added as example code	implemented
07-000040	NECORE	DESADV	PAC	23	7233	Add	56E	Package EPC tagged (GS1 Code)	Package tagged with EPC transponder.	added as example code	implemented
07-000054	NECORE	RECADV	DTM	3	2005	Add	X18	Arrival date/time, actual	Date (and time) of arrival of means of transport	added to the restricted code list	implemented
07-000055	NECORE	RECADV	DTM	3	2005	Add	X19	Date and or time of handling, estimated	Date and or time when the handling action is estimated to take place.	added to the restricted code list	implemented
07-000056	NECORE	RECADV	DTM	3	2005	Add	X22	Handling start date or time, actual (GS1 Code)	Actual date or time when the start of the handling action takes place.	added to the restricted code list	implemented
07-000057	NECORE	RECADV	DTM	3	2005	Add	X23	Handling end date or time, estimated (GS1 Code)	Date or time when the end of the handling action is estimated to take place	Code X19 exists already --> New CodeTag X22 added to the restricted code list	questions
07-000058	NECORE	RECADV	DTM	3	2005	Add	X24	Handling end date or time, actual (GS1 Code)	Actual date or time when the end of the handling action takes place.	Code X20 exists already --> New CodeTag X23 added to the restricted code list	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
07-000059	NECORE	RECADV	QVR	22/23	4295	Add	X37	Transport means technical failings (GS1 Code)	Transport means had technical failings, e.g. transport means could not be unloaded or did not comply with hygienical requirements.	added as example code	implemented
07-000060	NECORE	RECADV	QVR	22/23	4295	Add	X38	Equipment technical failings (GS1 Code)	Equipment had technical failings, e.g. equipment was damaged, wrong or not returnable	added as example code	implemented
07-000061	NECORE	RECADV	QVR	22/23	4295	Add	X39	Goods had technical failings (GS1 Code)	Goods had technical failings, e.g. instability, overhang, transportation lock, marking	added as example code	implemented
07-000145	NECORE	PRICAT PROINQ	All		3055	Add	X10 (?)	GS1 Russia (GS1 Code)	Organisation responsible for the GS1 system in Russia.		implemented
07-000147	NECORE	PRICAT PROINQ	All		3055	Add	X11 (?)	GS1 Poland (GS1 Code)	Organisation responsible for the GS1 system in Poland.		implemented
07-000148	NECORE	PRICAT PROINQ	All		3055	Add	X12 (?)	GS1 Estonia (GS1 Code)	Organisation responsible for the GS1 system in Estonia.		implemented
07-000154	NECORE	PRICAT PROINQ	DTM	88	2379	Add	715	YWWW-YYWW	Format for a period of calendar weeks to be given in actual message without hyphen.	added as example code	implemented
07-000009	NECORE	PRICAT PROINQ	MOA		5025	Add	9	Amount due/amount payable	Amount to be paid	added to the restricted code list	implemented
07-000010	NECORE	PRICAT PROINQ	MOA		5025	Add	X33	Calculation basis excluding all taxes (GS1 Code)	The amount, used as the basis for calculation, excludes all taxes.	added to the restricted code list	implemented
07-000158	NECORE	PRICAT PROINQ	PAC	116	7233	Add	DIS	Marked with Display Until Date (GS1 Code)	Package is marked with the date by which the product should be removed from the shelf in the display location (product appearance may deteriorate).	added as example code	implemented
billing									Generate EANCOM HTML Documentation		
07-000188	NECORE	PRICAT PROINQ	DTM	SG36	2005	add	X70	Product lifespan for the consumer (GS1 Code)	The minimum life span of the product remaining after selling it to the consumer, i.e. between the "sell by date" and the "use by date" of the product.	added to the open code list	implemented
07-000207	NECORE	RECADV	QVR		4295	add	X40	Spoilage of food stuff	Receipt goods have been spoiled. Food stuff is not eatable any more or even harmful to health.	added to the open code list	implemented
07-000208	NECORE	RECADV	QVR		4295	add	X41	Size or weight of fruit or vegetables	Receipt goods (consumer units) have different size (calibre, grade) or weight than ordered goods. Deviation is outside agreed tolerance.	added to the open code list	implemented
07-000215	NECORE	INVOIC	TAX		5305	add	AE	Reverse charge VAT treatment	Code specifying that the rate is based upon the reverse charge VAT treatment which is always standard rate tax	added to the open code list	implemented
07-000324-1	NECORE	PRICAT	PIA	SG36	7143	add	XY7	Norwegian Classification system ENVA (GS1 Code)	Classification system used in the Norwegian market.	original CR --> add code Y --> in D.078 AE added as example code PIA+1+1000000003:XY7::9'	implemented
07-000324-2	NECORE	PRICAT	PIA	SG36	7143	add	XY8	SUPPLIER_ASSIGNED (GS1 Code)	Additional classification agency name is SUPPLIER_ASSIGNED.	added as example code PIA+1+1000000003:XY8::9'	implemented
07-000324-3	NECORE	PRICAT	PIA	SG36	7143	add	XY9	Mexican classification system AMECE (GS1 Code)	Classification system used in the Mexican market.	added as example code PIA+1+1000000003:XY9::9'	implemented
07-000324-4	NECORE	PRICAT	PIA	SG36	7143	add	XZ0	German classification system CCG (GS1 Code)	Classification system used in the German market.	added as example code PIA+1+1000000003:XZ0::9'	implemented
07-000324-5	NECORE	PRICAT	PIA	SG36	7143	add	XZ1	Finnish classification system EANFIN (GS1 Code)	Classification system used in the Finnish market.	added as example code PIA+1+1000000003:XZ1::9'	implemented
07-000324-6	NECORE	PRICAT	PIA	SG36	7143	add	XZ2	Canadian classification system ICC (GS1 Code)	Classification system used in the Canadian market.	added as example code PIA+1+1000000003:XZ2::9'	implemented
07-000324-7	NECORE	PRICAT	PIA	SG36	7143	add	XZ3	IFLS5 (GS1 Code)	Additional classification agency name is IFLS5.	added as example code PIA+1+1000000003:XZ3::9'	implemented
07-000324-8	NECORE	PRICAT	PIA	SG36	7143	add	XZ4	Dutch classification system CBL (GS1 Code)	Classification system used in the Dutch market.	added as example code PIA+1+1000000003:XZ4::9'	implemented
07-000325	NECORE	PRICAT	PIA	SG36	7009	add	NFR	Not For Resale (GS1 Code)	Item is not for resale to consumer.	added as example code IMD+C+NFR::9'	implemented
07-000326-1	NECORE	PRICAT	CAV	SG37	7111	add	CHE	Chest/Bust (GS1 Code)	Size type is chest/bust.	added as example code CCI+++SIZEDIMENSION::9' CAV+CHE:SZT:9' CAV+EU:SZY:9' Size type is chest bust Rem: DE7037 with code SIZEDIMENSION to be used to indicate Size Group in segment CCI.	implemented
07-000326-2	NECORE	PRICAT	CAV	SG37	7111	add	HIP	Hips (GS1 Code)	Size type is Hips.	added as example code CCI+++SIZEDIMENSION::9' CAV+HIP:SZT:9' CAV+EU:SZY:9' Size type is HIPS. Rem: DE7037 with code SIZEDIMENSION to be used to indicate Size Group in segment CCI.	implemented
07-000326-3	NECORE	PRICAT	CAV	SG37	7111	add	OLG	Outside Leg (GS1 Code)	Size type is Outside Leg.	added as example code CCI+++SIZEDIMENSION::9' CAV+OLG:SZT:9' CAV+EU:SZY:9' Size type is Outside Leg. Rem: DE7037 with code SIZEDIMENSION to be used to indicate Size Group in segment CCI.	implemented
07-000327-1	NECORE	PRICAT	CAV	SG37	7110	add	RIGHTRET5	FULL (GS1 Code)	The return goods policy is Full.	added as example code CCI+++RIGHTRET5::9' CAV+++RIGHTRET5	implemented
07-000327-2	NECORE	PRICAT	CAV	SG37	7110	add	RIGHTRET6	PARTIAL (GS1 Code)	The return goods policy is Partial.	The return goods policy is Full. added as example code CCI+++RIGHTRET6::9' CAV+++RIGHTRET6	implemented
07-000403	NECORE	PRICAT	IMD		7081	add	171	Physical form	Code indicating the physical form of a product	added to the open codelist	implemented
07-000420	NECORE	INVOIC	BGM		1001	add	67	Commercial Dispute	Document/message issued by a party (usually the buyer) to indicate that one or more invoices or one or more credit notes are disputed for payment.	added to the restricted codelist	implemented
07-000422	SECHRE	All	BGM		1004	remove			Remove the recommendation about field length in the BGM segment in all EANCOM messages. "It is recommended that the length of the document number be restricted to a maximum of 17 characters." Alternative text: "For global unique identification of documents Global Document Type Identifier (GDTI) is available"		implemented
07-000432	NECORE	INVOIC	BGM		1225	add	55	Notification only	The receiver may use the notification information for analysis only	added to the restricted codelist	implemented
07-000453	SECHRE	All	NAD		C058				Status N --> Status O Add remark: This composite may only be used to fulfill the requirements of directive 2003/58/EC, article 4.		implemented
07-000056	NECORE	RECADV	DTM	3	2005	Add	X22	Handling start date or time, actual (GS1 Code)	Actual date or time when the start of the handling action takes place.	added to the restricted code list	implemented
07-000058	NECORE	RECADV	DTM	3	2005	Add	X24	Handling end date or time, actual (GS1 Code)	Actual date or time when the end of the handling action takes place.	Code X19 exists already --> New CodeTag X22 added to the restricted code list Code X21 exists already --> New CodeTag X24	implemented
05-000031	MSCHRE	ORDRSP				Add	MEA		Add seg MEA under PAC	add segment comments	implemented
07-000002	SECHRE	INVOIC	RFF			Allow Use			add segment notes and Example		implemented
04-000109	MSCHRE	IFCSUM	TCC CLUX						remove comments		questions
06-000149	NECORE	ORDERS	PCI		7065	Add	SEC	Article Surveillance	Equipped with article surveillance.	PCI war ein Tipfehler, PAC ist richtig.	implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Comment	Status
06-00085	MSCHRE	IFCSUM	NAD						add segment notes and Example		implemented
06-00086	MSCHRE	OSTRPT	LOC						add segment notes and Example		implemented
05-00032	NECORE	PRICAT	TAX		5153	replace	AAK	Mineral oil tax	Tax that is levied specifically on products containing mineral oil.	Code OIL - Oil tax - A tax that is levied specifically on products containing Oil has been replaced by code AAK.	implemented
billing									publishing project updated and revised		
billing									Generate EANCOM HTML Documentation		
billing									static documents updated and revised		
	revisions	ORDCHG PRODAT PRICAT RECADV REMADV SLSFCT SLSRPT							revisions	CR/DE 3227.htm	
05-00040-1	NECORE	DESADV	MEA		6313	Add	X17	Stacking factor including bottom item (GS1 Code)	Maximum number of items stackable upon each other, including the bottom item.	added to the open code list	implemented
	changed preamble								change string "EAN" --> "GS1" as described in document		implemented
		PRICAT	QTY	55					MaxRep 1 --> MaxRep 9		implemented
		ORDRSP	GIN		7402				the status of the second DE 7402 in the first C208 should be changed to "O"		implemented
		ORDERS	BGM		1001	Add	225		add to the restricted code list		implemented
					7065	del	HU	Standard stack of stones (GS1 Code)		Action: code "HU" should be withdrawn. Keep "X3" (GS1 Code) for the time being.	implemented
											implemented
		IFCSUM, IFTMAN, IFTSTA , IFTMIN, INSDES	GIN		7402				The use of the second DE 7402 is allowed in all trade messages and HANMOV, but in IFCSUM, IFTMAN, IFTSTA , IFTMIN and INSDES the status is "N". If you agree, Jenny should set every second DE 7402 in all C208 of the transport messages to status "O".		implemented
	MSCHRE	CONDRA, IFCSUM, INVOIC, INVRPT, ORDRSP, OSTRPT, PRICAT, SLSRPT	UNH		0057				Lifting the version number of a message in UNH 0057 in all messages in which changes in the message structure occur.		implemented
	CodeChange				3227	change	25E 244				implemented
	CodeChange				3227	change	26E 243				implemented
	CodeChange				3227	change	27E 242				implemented
	CodeChange				3227	change	28E 241				implemented
	CodeChange				3227	change	29E 246				implemented
	CodeChange				3227	change	31E 247				implemented
					3227	change	257		++ 257 will be replaced by @@ 257		implemented
07-000422		all	BGM		1004				was not well implemented		implemented
	NECORE				3207	add	RS	SERBIA			implemented
	NECORE				6345	add	RSD	Serbian Dinar			implemented
	Static documents	RECADV						Introduction	Under definition.....second bullet..should be "to advise" NOT "to advice"		implemented